

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR100918\
 Data File : VR026018.D
 Acq On : 9 Oct 2018 17:33
 Operator : SY/MD
 Sample : J5279-20 4X
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 BEYH7

Quant Time: Oct 10 07:05:35 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092718WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Oct 10 05:39:19 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	490949	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	416433	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.22	152	140514	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	153686	3.97	ug/L	-0.01
Spiked Amount	5.000	Range	40 - 130	Recovery	=	79.40%
7) Chloroethane-d5	2.63	69	144715	4.57	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	91.40%
11) 1,1-Dichloroethene-d2	3.63	63	280788	3.09	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	61.80%
20) 2-Butanone-d5	6.59	46	199868	46.31	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	92.62%
24) Chloroform-d	7.20	84	266507	3.95	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	79.00%
26) 1,2-Dichloroethane-d4	7.90	65	126349	4.36	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.20%
32) Benzene-d6	7.85	84	514551	3.71	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	74.20%
36) 1,2-Dichloropropane-d6	8.90	67	144393	3.87	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	77.40%
41) Toluene-d8	9.97	98	461722	3.55	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	71.00%
43) trans-1,3-Dichloropropene-	10.24	79	33903	4.00	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	80.00%
46) 2-Hexanone-d5	10.59	63	155528	48.11	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	96.22%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	62116	4.10	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	82.00%
64) 1,2-Dichlorobenzene-d4	13.51	152	95275	4.23	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	84.60%

Target Compounds					Ovalue
14) Carbon disulfide	3.95	76	956204	10.658 ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA R\DATA\VR100918\
Data File : VR026018.D
Acq On : 9 Oct 2018 17:33
Operator : SY/MD
Sample : J5279-20 4X
Misc : 25mL/MSVOA R/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
BEYH7

Quant Time: Oct 10 07:05:35 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092718WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Oct 10 05:39:19 2018
Response via : Initial Calibration

