

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR100918\
 Data File : VR026015.D
 Acq On : 9 Oct 2018 15:54
 Operator : SY/MD
 Sample : J5279-20DL 100X
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 BEYH7DL

Manual Integrations
 APPROVED

MMDadoda
 10/16/2018 2:54:54 PM

Quant Time: Oct 10 06:46:24 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092718WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Oct 10 05:39:19 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	458708	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	382817	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.23	152	126780	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	156251	4.32	ug/L	-0.01
Spiked Amount	5.000	Range	40 - 130	Recovery	=	86.40%
7) Chloroethane-d5	2.63	69	148528	5.02	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	100.40%
11) 1,1-Dichloroethene-d2	3.63	63	298626	3.52	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	70.40%
20) 2-Butanone-d5	6.59	46	181850	45.09	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	90.18%
24) Chloroform-d	7.20	84	263008	4.18	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	83.60%
26) 1,2-Dichloroethane-d4	7.90	65	118280	4.37	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.40%
32) Benzene-d6	7.85	84	512181	4.02	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	80.40%
36) 1,2-Dichloropropane-d6	8.90	67	145690	4.24	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	84.80%
41) Toluene-d8	9.97	98	473688	3.96	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	79.20%
43) trans-1,3-Dichloropropene-	10.24	79	32059	4.12	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	82.40%
46) 2-Hexanone-d5	10.59	63	139546	46.95	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	93.90%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	55551	3.99	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	79.80%
64) 1,2-Dichlorobenzene-d4	13.51	152	88166	4.34	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	86.80%

Target Compounds				Ovalue
14) Carbon disulfide	3.95	76	38657m	0.461 ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR100918\
Data File : VR026015.D
Acq On : 9 Oct 2018 15:54
Operator : SY/MD
Sample : J5279-20DL 100X
Misc : 25mL/MSVOA R/WATER
ALS Vial : 6 Sample Multiplier: 1


Instrument :
MSVOA_R
ClientSampleId :
BEYH7DL

Manual Integrations
APPROVED

MMDadoda
10/16/2018 2:54:54 PM

Quant Time: Oct 10 06:46:24 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092718WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Oct 10 05:39:19 2018
Response via : Initial Calibration





#14
Carbon disulfide
Concen: 0.461 ug/L m
RT: 3.95 min Scan# 373
Delta R.T. 0.02 min
Lab File: VR026015.D
Acq: 9 Oct 2018 15:54

Instrument :
MSVOA_R
ClientSampleId :
BEYH7DL

Tot Ion	Ratio	Lower	Upper
76	100		
78	9.0	7.0	10.6

Manual Integrations
APPROVED

MMDadoda
10/16/2018 2:54:54 PM

