

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR101818\
 Data File : VR026133.D
 Acq On : 18 Oct 2018 14:35
 Operator : SY/MD
 Sample : J5464-07
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 C0JE2

Quant Time: Oct 19 05:00:23 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR101518WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Oct 19 04:39:21 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	537306	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.28	117	453130	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.23	152	140638	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	229453	4.88	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	97.60%
7) Chloroethane-d5	2.63	69	201547	4.98	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	99.60%
11) 1,1-Dichloroethene-d2	3.61	63	413877	3.58	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	71.60%
20) 2-Butanone-d5	6.58	46	199462	51.67	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	103.34%
24) Chloroform-d	7.20	84	339440	4.54	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.80%
26) 1,2-Dichloroethane-d4	7.90	65	146714	4.72	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	94.40%
32) Benzene-d6	7.85	84	671710	4.61	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.20%
36) 1,2-Dichloropropane-d6	8.90	67	182662	4.86	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	97.20%
41) Toluene-d8	9.97	98	623763	4.54	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	90.80%
43) trans-1,3-Dichloropropene-	10.24	79	41675	4.23	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	84.60%
46) 2-Hexanone-d5	10.59	63	158729	55.75	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	111.50%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	69587	4.72	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	94.40%
64) 1,2-Dichlorobenzene-d4	13.52	152	114847	5.17	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	103.40%

Target Compounds					Ovalue
31) Carbon tetrachloride	7.63	117	26816	0.476 ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA R\DATA\VR101818\
Data File : VR026133.D
Acq On : 18 Oct 2018 14:35
Operator : SY/MD
Sample : J5464-07
Misc : 25mL/MSVOA R/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
C0JE2

Quant Time: Oct 19 05:00:23 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR101518WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Oct 19 04:39:21 2018
Response via : Initial Calibration

