

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR101818\
 Data File : VR026131.D
 Acq On : 18 Oct 2018 13:27
 Operator : SY/MD
 Sample : J5464-05
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 C0JE0

Quant Time: Oct 19 04:55:31 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR101518WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Oct 19 04:39:21 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	540287	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	460679	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.23	152	141739	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	232157	4.91	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	98.20%
7) Chloroethane-d5	2.63	69	212361	5.22	ug/L	0.01
Spiked Amount	5.000	Range	65 - 130	Recovery	=	104.40%
11) 1,1-Dichloroethene-d2	3.61	63	456188	3.93	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	78.60%
20) 2-Butanone-d5	6.59	46	203010	52.30	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	104.60%
24) Chloroform-d	7.20	84	351537	4.68	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.60%
26) 1,2-Dichloroethane-d4	7.89	65	149342	4.78	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	95.60%
32) Benzene-d6	7.85	84	709697	4.79	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.80%
36) 1,2-Dichloropropane-d6	8.90	67	196364	5.14	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	102.80%
41) Toluene-d8	9.97	98	667579	4.78	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	95.60%
43) trans-1,3-Dichloropropene-	10.23	79	41366	4.13	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	82.60%
46) 2-Hexanone-d5	10.59	63	163604	56.52	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	113.04%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	68992	4.60	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	92.00%
64) 1,2-Dichlorobenzene-d4	13.51	152	118599	5.29	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	105.80%

Target Compounds


					Ovalue
12) 1,1-Dichloroethene	3.61	96	25240	0.480 ug/L #	1
13) Acetone	3.70	43	10219	2.546 ug/L	93
18) trans-1,2-Dichloroethene	4.88	96	10443	0.263 ug/L #	83
22) cis-1,2-Dichloroethene	6.69	96	14350	0.382 ug/L #	99
34) Trichloroethene	8.71	95	628508	14.206 ug/L	97
47) Tetrachloroethene	10.51	164	33663	1.065 ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR101818\
Data File : VR026131.D
Acq On : 18 Oct 2018 13:27
Operator : SY/MD
Sample : J5464-05
Misc : 25mL/MSVOA R/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
C0JE0

Quant Time: Oct 19 04:55:31 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR101518WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Oct 19 04:39:21 2018
Response via : Initial Calibration





#12

1,1-Dichloroethene

Concen: 0.480 ug/L

RT: 3.61 min Scan# 318

Delta R.T. -0.01 min

Lab File: VR026131.D

Acq: 18 Oct 2018 13:27

Instrument :

MSVOA_R

ClientSampleId :

C0JE0


Tot Ion: 96 Resp: 25240

Ion Ratio Lower Upper

96 100

61 342.4 126.7 235.3#




63 1427.3 125.0 232.2#



Abundance Ion 96.00 (95.70 to 96.70): VR0

Ion 61.05 (60.75 to 61.75): VR0

Ion 63.00 (62.70 to 63.70): VR0



#13

Acetone

Concen: 2.546 ug/L

RT: 3.70 min Scan# 332

Delta R.T. 0.00 min

Lab File: VR026131.D


Acq: 18 Oct 2018 13:27

Tgt Ion: 43 Resp: 10219

Ion Ratio Lower Upper



43 100


58 31.3 0.0 55.4



Abundance Ion 43.05 (42.75 to 43.75): VR0

Ion 58.05 (57.75 to 58.75): VR0





#18

trans-1,2-Dichloroethene

Concen: 0.263 ug/L

RT: 4.88 min Scan# 526

Delta R.T. -0.01 min

Lab File: VR026131.D

Acq: 18 Oct 2018 13:27

Instrument :

MSVOA_R

ClientSampleId :

C0JE0


Tot Ion: 96 Resp: 10443

Ion Ratio Lower Upper

96 100

61 176.3 111.4 206.8




98 79.5 41.4 77.0#



Abundance Ion 96.00 (95.70 to 96.70): VR0

Ion 61.05 (60.75 to 61.75): VR0

Ion 97.95 (97.65 to 98.65): VR0



#22

cis-1,2-Dichloroethene

Concen: 0.382 ug/L

RT: 6.69 min Scan# 823

Delta R.T. 0.01 min

Lab File: VR026131.D

Acq: 18 Oct 2018 13:27


Tgt Ion: 96 Resp: 14350

Ion Ratio Lower Upper

96 100

61 146.8 101.8 189.0



68 3.0 0.1 0.3#




Abundance Ion 96.00 (95.70 to 96.70): VR0

Ion 61.05 (60.75 to 61.75): VR0

Ion 68.15 (67.85 to 68.85): VR0





#34

Trichloroethene

Concen: 14.206 ug/L

RT: 8.71 min Scan# 1156

Delta R.T. 0.00 min

Lab File: VR026131.D

Acq: 18 Oct 2018 13:27

Instrument :

MSVOA_R

ClientSampleId :

C0JE0

Tot Ion: 95 Resp: 628508


Ion Ratio Lower Upper

95 100

97 65.3 45.7 84.9

132 83.3 58.3 108.3

130 84.9 64.0 119.0






Abundance Ion 95.00 (94.70 to 95.70): VR0

Ion 96.95 (96.65 to 97.65): VR0

Ion 131.95 (131.65 to 132.65): V

Ion 129.95 (129.65 to 130.65): V



#47

Tetrachloroethene

Concen: 1.065 ug/L

RT: 10.51 min Scan# 1452

Delta R.T. 0.00 min

Lab File: VR026131.D

Acq: 18 Oct 2018 13:27

Tgt Ion: 164 Resp: 33663


Ion Ratio Lower Upper

164 100

129 98.5 70.3 130.5

131 103.5 67.3 125.1

166 122.6 86.1 159.9



Abundance Ion 163.90 (163.60 to 164.60): V

Ion 128.95 (128.65 to 129.65): V

Ion 130.95 (130.65 to 131.65): V

Ion 165.90 (165.60 to 166.60): V

