

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR110218\
 Data File : VR026168.D
 Acq On : 2 Nov 2018 19:35
 Operator : SY/MD
 Sample : J5802-05
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 C0BE6

Quant Time: Nov 03 06:09:19 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR101518WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Nov 03 06:46:43 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	525024	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	452291	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.22	152	147113	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	178012	3.87	ug/L	-0.01
Spiked Amount	5.000	Range	40 - 130	Recovery	=	77.40%
7) Chloroethane-d5	2.63	69	176250	4.46	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	89.20%
11) 1,1-Dichloroethene-d2	3.63	63	332143	2.94	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	58.80%#
20) 2-Butanone-d5	6.59	46	275231	72.96	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	145.92%#
24) Chloroform-d	7.20	84	360213	4.93	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.60%
26) 1,2-Dichloroethane-d4	7.90	65	164732	5.42	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	108.40%
32) Benzene-d6	7.85	84	692158	4.76	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.20%
36) 1,2-Dichloropropane-d6	8.89	67	204031	5.44	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	108.80%
41) Toluene-d8	9.97	98	617518	4.50	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	90.00%
43) trans-1,3-Dichloropropene-	10.24	79	49305	5.01	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	100.20%
46) 2-Hexanone-d5	10.59	63	216183	76.07	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	152.14%#
57) 1,1,2,2-Tetrachloroethane-	12.36	84	86521	5.87	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	117.40%
64) 1,2-Dichlorobenzene-d4	13.52	152	133810	5.76	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	115.20%

Target Compounds					Ovalue
33) Benzene	7.90	78	26245	0.155 ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR110218\
Data File : VR026168.D
Acq On : 2 Nov 2018 19:35
Operator : SY/MD
Sample : J5802-05
Misc : 25mL/MSVOA R/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
C0BE6

Quant Time: Nov 03 06:09:19 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR101518WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Nov 03 06:46:43 2018
Response via : Initial Calibration

