

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_R\DATA\VR112018\
 Data File : VR026250.D
 Acq On : 21 Nov 2018 3:38
 Operator : SY/MD
 Sample : J6026-15
 Misc : 25mL/MSVOA_R/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 H0FM6

Quant Time: Nov 21 04:31:08 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR112018WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Nov 21 03:23:51 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	543385	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	449632	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.23	152	131962	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.16	65	207492	5.01	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	100.20%
7) Chloroethane-d5	2.63	69	202981	5.46	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	109.20%
11) 1,1-Dichloroethene-d2	3.61	63	407724	3.88	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	77.60%
20) 2-Butanone-d5	6.59	46	195897	51.06	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	102.12%
24) Chloroform-d	7.20	84	373360	4.60	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.00%
26) 1,2-Dichloroethane-d4	7.90	65	150114	4.75	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	95.00%
32) Benzene-d6	7.86	84	754513	4.83	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.60%
36) 1,2-Dichloropropane-d6	8.90	67	196194	4.99	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	99.80%
41) Toluene-d8	9.97	98	685798	4.73	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	94.60%
43) trans-1,3-Dichloropropene-	10.24	79	43924	4.10	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	82.00%
46) 2-Hexanone-d5	10.59	63	126074	50.71	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	101.42%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	70600	4.41	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	88.20%
64) 1,2-Dichlorobenzene-d4	13.52	152	124221	5.47	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	109.40%

Target Compounds					Qvalue
17) Methyl tert-butyl Ether	4.90	73	14612319	309.908 ug/L	97
22) cis-1,2-Dichloroethene	6.68	96	48505	1.285 ug/L	96
34) Trichloroethene	8.71	95	10246	0.235 ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_R\DATA\VR112018\
Data File : VR026250.D
Acq On : 21 Nov 2018 3:38
Operator : SY/MD
Sample : J6026-15
Misc : 25mL/MSVOA_R/WATER
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
H0FM6

Quant Time: Nov 21 04:31:08 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR112018WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Nov 21 03:23:51 2018
Response via : Initial Calibration

