

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_R\DATA\VR112018\
 Data File : VR026238.D
 Acq On : 20 Nov 2018 21:04
 Operator : SY/MD
 Sample : VR1120WBL01
 Misc : 25mL/MSVOA_R/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 VBLK98

Quant Time: Nov 21 10:01:37 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR112018WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Nov 21 03:23:51 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	589972	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	500046	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.23	152	159903	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	222842	4.96	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	99.20%
7) Chloroethane-d5	2.62	69	201134	4.99	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	99.80%
11) 1,1-Dichloroethene-d2	3.61	63	403110	3.53	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	70.60%
20) 2-Butanone-d5	6.58	46	173212	41.58	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	83.16%
24) Chloroform-d	7.20	84	387035	4.40	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.00%
26) 1,2-Dichloroethane-d4	7.90	65	155306	4.53	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	90.60%
32) Benzene-d6	7.86	84	760416	4.38	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.60%
36) 1,2-Dichloropropane-d6	8.90	67	193922	4.44	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	88.80%
41) Toluene-d8	9.97	98	689188	4.27	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	85.40%
43) trans-1,3-Dichloropropene-	10.24	79	47569	3.99	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	79.80%
46) 2-Hexanone-d5	10.59	63	133368	48.23	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	96.46%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	78338	4.40	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	88.00%
64) 1,2-Dichlorobenzene-d4	13.52	152	133683	4.85	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	97.00%


Target Compounds					Qvalue
16) Methylene chloride	4.41	84	7907	0.179 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_R\DATA\VR112018\
Data File : VR026238.D
Acq On : 20 Nov 2018 21:04
Operator : SY/MD
Sample : VR1120WBL01
Misc : 25mL/MSVOA_R/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
VBLK98

Quant Time: Nov 21 10:01:37 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR112018WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Nov 21 03:23:51 2018
Response via : Initial Calibration





#16
Methylene chloride
Concen: 0.179 ug/L
RT: 4.41 min Scan# 449
Delta R.T. 0.01 min
Lab File: VR026238.D
Acq: 20 Nov 2018 21:04

Instrument :
MSVOA_R
ClientSampleId :
VBLK98

Tgt Ion: 84 Resp: 7907
Ion Ratio Lower Upper
84 100
86 70.0 45.2 84.0
49 119.7 88.3 164.1

