

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR121718\
 Data File : VR026276.D
 Acq On : 17 Dec 2018 22:31
 Operator : SY/MD
 Sample : J6419-18
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 BF028

Quant Time: Dec 18 01:00:10 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR121718WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Dec 18 00:30:13 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	499477	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	402559	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.23	152	119404	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	175355	5.52	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	110.40%
7) Chloroethane-d5	2.62	69	176919	5.61	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	112.20%
11) 1,1-Dichloroethene-d2	3.61	63	348235	3.88	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	77.60%
20) 2-Butanone-d5	6.58	46	140644	49.83	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	99.66%
24) Chloroform-d	7.20	84	330251	4.87	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.40%
26) 1,2-Dichloroethane-d4	7.90	65	126507	5.08	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	101.60%
32) Benzene-d6	7.86	84	638173	4.93	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.60%
36) 1,2-Dichloropropane-d6	8.90	67	162991	4.95	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	99.00%
41) Toluene-d8	9.97	98	573009	4.83	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	96.60%
43) trans-1,3-Dichloropropene-	10.24	79	36621	4.23	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	84.60%
46) 2-Hexanone-d5	10.59	63	94463	52.49	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	104.98%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	61349	5.03	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	100.60%
64) 1,2-Dichlorobenzene-d4	13.52	152	110143	5.79	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	115.80%


Target Compounds					Ovalue
13) Acetone	3.70	43	34044	11.840 ug/L	95
42) Toluene	10.04	91	23908	0.148 ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR121718\
Data File : VR026276.D
Acq On : 17 Dec 2018 22:31
Operator : SY/MD
Sample : J6419-18
Misc : 25mL/MSVOA R/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
BF028

Quant Time: Dec 18 01:00:10 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR121718WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Dec 18 00:30:13 2018
Response via : Initial Calibration





#13

Acetone

Concen: 11.840 ug/L

RT: 3.70 min Scan# 332

Delta R.T. 0.00 min

Lab File: VR026276.D

Acq: 17 Dec 2018 22:31

Instrument :

MSVOA_R

ClientSampleId :





BF028

Tot Ion: 43 Resp: 34044

Ion Ratio Lower Upper

43 100

58 27.5 0.0 60.8



#42

Toluene

Concen: 0.148 ug/L

RT: 10.04 min Scan# 1374

Delta R.T. 0.00 min

Lab File: VR026276.D

Acq: 17 Dec 2018 22:31

Tgt Ion: 91 Resp: 23908

Ion Ratio Lower Upper

91 100

92 51.8 40.0 74.4

