

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR062218\
 Data File : VR025418.D
 Acq On : 22 Jun 2018 17:33
 Operator : SY/MD
 Sample : J3674-04
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 DAZB4

Quant Time: Jun 22 23:07:43 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR061518WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Jun 22 22:38:28 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	521007	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	439580	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.22	152	182626	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	63345	3.57	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	71.40%
7) Chloroethane-d5	2.64	69	52762	4.04	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	80.80%
11) 1,1-Dichloroethene-d2	3.64	63	133475	2.92	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	58.40%#
20) 2-Butanone-d5	6.59	46	307455	64.64	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	129.28%
24) Chloroform-d	7.20	84	337924	5.10	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	102.00%
26) 1,2-Dichloroethane-d4	7.89	65	143053	5.64	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	112.80%
32) Benzene-d6	7.86	84	680077	4.56	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	91.20%
36) 1,2-Dichloropropane-d6	8.90	67	219118	5.17	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	103.40%
41) Toluene-d8	9.97	98	570253	4.33	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	86.60%
43) trans-1,3-Dichloropropene-	10.24	79	42371	3.76	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	75.20%
46) 2-Hexanone-d5	10.59	63	261419	66.84	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	133.68%#
57) 1,1,2,2-Tetrachloroethane-	12.36	84	106045	6.44	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	128.80%#
64) 1,2-Dichlorobenzene-d4	13.51	152	153209	4.95	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	99.00%

Target Compounds					Ovalue
13) Acetone	3.70	43	13004	6.05 ug/L	95
34) Trichloroethene	8.71	95	41772	1.00 ug/L	89

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA R\DATA\VR062218\
Data File : VR025418.D
Acq On : 22 Jun 2018 17:33
Operator : SY/MD
Sample : J3674-04
Misc : 25mL/MSVOA R/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
DAZB4

Quant Time: Jun 22 23:07:43 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR061518WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Jun 22 22:38:28 2018
Response via : Initial Calibration

