

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR071718\
 Data File : VR025489.D
 Acq On : 17 Jul 2018 12:07
 Operator : SY/MD
 Sample : J4002-03
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 C0AG0

Quant Time: Jul 18 01:15:51 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR070518WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Jul 18 01:02:47 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	587825	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	291651	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.22	152	176138	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	73958	4.56	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	91.20%
7) Chloroethane-d5	2.62	69	61453	4.45	ug/L	-0.02
Spiked Amount	5.000	Range	65 - 130	Recovery	=	89.00%
11) 1,1-Dichloroethene-d2	3.63	63	160818	3.28	ug/L	-0.01
Spiked Amount	5.000	Range	60 - 125	Recovery	=	65.60%
20) 2-Butanone-d5	6.59	46	163369	32.46	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	64.92%
24) Chloroform-d	7.21	84	346783	4.33	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	86.60%
26) 1,2-Dichloroethane-d4	7.89	65	128819	4.19	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	83.80%
32) Benzene-d6	7.86	84	840590	8.61	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	172.20%#
36) 1,2-Dichloropropane-d6	8.90	67	203742	7.20	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	144.00%#
41) Toluene-d8	9.97	98	880552	10.28	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	205.60%#
43) trans-1,3-Dichloropropene-	10.24	79	53122	7.08	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	141.60%#
46) 2-Hexanone-d5	10.59	63	157094	64.79	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	129.58%
57) 1,1,2,2-Tetrachloroethane-	12.38	84	116695	9.22	ug/L	0.02
Spiked Amount	5.000	Range	65 - 120	Recovery	=	184.40%#
64) 1,2-Dichlorobenzene-d4	13.51	152	146958	5.05	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	101.00%

Target Compounds

					Ovalue
14) Carbon disulfide	3.95	76	34085	0.85	ug/L # 93
30) Cyclohexane	7.52	56	3956696	124.33	ug/L 89
33) Benzene	7.91	78	110811	1.10	ug/L 100
35) Methylcyclohexane	8.96	83	4923895	143.90	ug/L # 69
56) Isopropylbenzene	12.13	105	1587840	17.70	ug/L 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR071718\
Data File : VR025489.D
Acq On : 17 Jul 2018 12:07
Operator : SY/MD
Sample : J4002-03
Misc : 25mL/MSVOA R/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
C0AG0

Quant Time: Jul 18 01:15:51 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR070518WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Jul 18 01:02:47 2018
Response via : Initial Calibration

