

Data Path : Z:\voasrv\HPCHEM1\MSVOA R\Data\VR071718\
 Data File : VR025494.D
 Acq On : 17 Jul 2018 15:54
 Operator : SY/MD
 Sample : VIBLK87
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 C0AG6

Quant Time: Jul 18 02:20:38 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR070518WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Jul 18 01:02:47 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	780416	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	616026	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.22	152	241061	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.14	65	97885	4.55	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	91.00%
7) Chloroethane-d5	2.64	69	75131	4.10	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	82.00%
11) 1,1-Dichloroethene-d2	3.64	63	195462	3.00	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	60.00%
20) 2-Butanone-d5	6.59	46	284100	42.51	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	85.02%
24) Chloroform-d	7.20	84	433727	4.08	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	81.60%
26) 1,2-Dichloroethane-d4	7.90	65	181380	4.45	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	89.00%
32) Benzene-d6	7.86	84	934227	4.53	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.60%
36) 1,2-Dichloropropane-d6	8.90	67	261900	4.38	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	87.60%
41) Toluene-d8	9.97	98	829822	4.59	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	91.80%
43) trans-1,3-Dichloropropene-	10.24	79	71206	4.49	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	89.80%
46) 2-Hexanone-d5	10.59	63	265168	51.78	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	103.56%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	118886	4.45	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	89.00%
64) 1,2-Dichlorobenzene-d4	13.51	152	191159	4.80	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	96.00%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA R\Data\VR071718\
Data File : VR025494.D
Acq On : 17 Jul 2018 15:54
Operator : SY/MD
Sample : VIBLK87
Misc : 25mL/MSVOA R/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
C0AG6

Quant Time: Jul 18 02:20:38 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR070518WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Jul 18 01:02:47 2018
Response via : Initial Calibration

