

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR071718\
 Data File : VR025492.D
 Acq On : 17 Jul 2018 14:47
 Operator : SY/MD
 Sample : J4002-05 40X
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 C0AG3

Quant Time: Jul 18 02:15:07 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR070518WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Jul 18 01:02:47 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	821514	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	667339	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.22	152	261250	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.14	65	116960	5.16	ug/L	-0.01
Spiked Amount	5.000	Range	40 - 130	Recovery	=	103.20%
7) Chloroethane-d5	2.64	69	88198	4.57	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	91.40%
11) 1,1-Dichloroethene-d2	3.63	63	228581	3.33	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	66.60%
20) 2-Butanone-d5	6.60	46	314625	44.73	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	89.46%
24) Chloroform-d	7.21	84	459882	4.11	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	82.20%
26) 1,2-Dichloroethane-d4	7.90	65	188690	4.40	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	88.00%
32) Benzene-d6	7.86	84	995609	4.46	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.20%
36) 1,2-Dichloropropane-d6	8.90	67	272168	4.20	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	84.00%
41) Toluene-d8	9.97	98	896134	4.57	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	91.40%
43) trans-1,3-Dichloropropene-	10.24	79	74528	4.34	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	86.80%
46) 2-Hexanone-d5	10.59	63	256659	46.27	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	92.54%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	118725	4.10	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	82.00%
64) 1,2-Dichlorobenzene-d4	13.51	152	202228	4.69	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	93.80%


Target Compounds					Ovalue
34) Trichloroethene	8.71	95	37953	0.65 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR071718\
Data File : VR025492.D
Acq On : 17 Jul 2018 14:47
Operator : SY/MD
Sample : J4002-05 40X
Misc : 25mL/MSVOA R/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
C0AG3

Quant Time: Jul 18 02:15:07 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR070518WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Jul 18 01:02:47 2018
Response via : Initial Calibration





#34

Trichloroethene

Concen: 0.65 ug/L

RT: 8.71 min Scan# 1214

Delta R.T. 0.01 min

Lab File: VR025492.D


Acq: 17 Jul 2018 14:47

Instrument :

MSVOA_R

ClientSampleId :

C0AG3



Tot Ion: 95 Resp: 37953

Ion Ratio Lower Upper

95 100

97 63.4 45.6 84.6

132 78.4 60.9 113.1

130 86.2 62.0 115.2

Abundance Ion 95.00 (94.70 to 95.70): VR0

Ion 96.95 (96.65 to 97.65): VR0

Ion 131.95 (131.65 to 132.65): V

Ion 129.95 (129.65 to 130.65): V

