

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR071918\
 Data File : VR025526.D
 Acq On : 19 Jul 2018 17:48
 Operator : SY/MD
 Sample : J3960-14
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 C0AJ6

Quant Time: Jul 20 02:09:30 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR070518WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Jul 20 01:22:24 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	586244	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	485980	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.22	152	158153	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.14	65	105167	6.51	ug/L	-0.01
Spiked Amount	5.000	Range	40 - 130	Recovery	=	130.20%#
7) Chloroethane-d5	2.64	69	75066	5.45	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	109.00%
11) 1,1-Dichloroethene-d2	3.63	63	216804	4.43	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	88.60%
20) 2-Butanone-d5	6.60	46	262887	52.37	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	104.74%
24) Chloroform-d	7.21	84	424017	5.31	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	106.20%
26) 1,2-Dichloroethane-d4	7.90	65	161447	5.27	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	105.40%
32) Benzene-d6	7.86	84	930311	5.72	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	114.40%
36) 1,2-Dichloropropane-d6	8.90	67	265996	5.64	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	112.80%
41) Toluene-d8	9.97	98	833154	5.84	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	116.80%
43) trans-1,3-Dichloropropene-	10.24	79	59572	4.76	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	95.20%
46) 2-Hexanone-d5	10.59	63	228855	56.65	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	113.30%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	107499	5.10	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	102.00%
64) 1,2-Dichlorobenzene-d4	13.51	152	174823	6.70	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	134.00%#

Target Compounds					Ovalue
13) Acetone	3.71	43	10911	4.82 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA R\DATA\VR071918\
Data File : VR025526.D
Acq On : 19 Jul 2018 17:48
Operator : SY/MD
Sample : J3960-14
Misc : 25mL/MSVOA R/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
C0AJ6

Quant Time: Jul 20 02:09:30 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR070518WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Jul 20 01:22:24 2018
Response via : Initial Calibration

