

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR082918\
 Data File : VR025662.D
 Acq On : 29 Aug 2018 19:21
 Operator : SY/MD
 Sample : J4633-10
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 DB3K0

Quant Time: Aug 30 07:15:27 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR082118WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Aug 30 06:43:05 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	384898	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	344047	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.22	152	103507	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.14	65	109542	4.37	ug/L	-0.02
Spiked Amount	5.000	Range	40 - 130	Recovery	=	87.40%
7) Chloroethane-d5	2.62	69	94557	4.37	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	87.40%
11) 1,1-Dichloroethene-d2	3.62	63	192239	3.11	ug/L	-0.01
Spiked Amount	5.000	Range	60 - 125	Recovery	=	62.20%
20) 2-Butanone-d5	6.60	46	93925	49.20	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	98.40%
24) Chloroform-d	7.20	84	198930	4.52	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.40%
26) 1,2-Dichloroethane-d4	7.89	65	70875	4.63	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	92.60%
32) Benzene-d6	7.86	84	435292	3.87	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	77.40%
36) 1,2-Dichloropropane-d6	8.90	67	127458	4.44	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	88.80%
41) Toluene-d8	9.97	98	371627	3.65	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	73.00%
43) trans-1,3-Dichloropropene-	10.24	79	24800	3.67	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	73.40%
46) 2-Hexanone-d5	10.59	63	123921	55.97	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	111.94%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	59753	4.52	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	90.40%
64) 1,2-Dichlorobenzene-d4	13.51	152	97931	5.92	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	118.40%


Target Compounds					Ovalue
13) Acetone	3.70	43	6138	5.161 ug/L	62


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA R\DATA\VR082918\
Data File : VR025662.D
Acq On : 29 Aug 2018 19:21
Operator : SY/MD
Sample : J4633-10
Misc : 25mL/MSVOA R/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
DB3K0

Quant Time: Aug 30 07:15:27 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR082118WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Aug 30 06:43:05 2018
Response via : Initial Calibration





#13

Acetone

Concen: 5.161 ug/L

RT: 3.70 min Scan# 390

Delta R.T. 0.00 min

Lab File: VR025662.D

Acq: 29 Aug 2018 19:21

Instrument :
MSVOA_R
ClientSampleId :
DB3K0

Tot Ion: 43 Resp: 6138

Ion Ratio Lower Upper

43 100

58 10.7 0.0 63.4

