

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR092818\
 Data File : VR025905.D
 Acq On : 28 Sep 2018 17:31
 Operator : SY/MD
 Sample : J5156-05
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 VHBLK01

Quant Time: Sep 29 22:05:25 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092718WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Sep 29 05:14:56 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	514464	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	416229	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.22	152	144503	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	167299	4.12	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	82.40%
7) Chloroethane-d5	2.63	69	147854	4.46	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	89.20%
11) 1,1-Dichloroethene-d2	3.63	63	315707	3.31	ug/L	0.01
Spiked Amount	5.000	Range	60 - 125	Recovery	=	66.20%
20) 2-Butanone-d5	6.59	46	202945	44.87	ug/L	0.01
Spiked Amount	50.000	Range	40 - 130	Recovery	=	89.74%
24) Chloroform-d	7.20	84	283140	4.01	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	80.20%
26) 1,2-Dichloroethane-d4	7.90	65	121577	4.00	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	80.00%
32) Benzene-d6	7.85	84	586588	4.24	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	84.80%
36) 1,2-Dichloropropane-d6	8.90	67	158450	4.24	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	84.80%
41) Toluene-d8	9.97	98	533110	4.10	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	82.00%
43) trans-1,3-Dichloropropene-	10.24	79	32319	3.82	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	76.40%
46) 2-Hexanone-d5	10.59	63	149750	46.34	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	92.68%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	61358	4.05	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	81.00%
64) 1,2-Dichlorobenzene-d4	13.51	152	96403	4.17	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	83.40%


Target Compounds					Ovalue
16) Methylene chloride	4.41	84	3500	0.098 ug/L	# 75


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA R\DATA\VR092818\
Data File : VR025905.D
Acq On : 28 Sep 2018 17:31
Operator : SY/MD
Sample : J5156-05
Misc : 25mL/MSVOA R/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
VHBLK01

Quant Time: Sep 29 22:05:25 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092718WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Sep 29 05:14:56 2018
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 0.098 ug/L
 RT: 4.41 min Scan# 449
 Delta R.T. 0.01 min
 Lab File: VR025905.D
 Acq: 28 Sep 2018 17:31

Instrument :
 MSVOA_R
 ClientSampleId :
 VHBLK01

Tot Ion: 84 Resp: 3500
 Ion Ratio Lower Upper
 84 100
 86 37.3 43.1 80.1#
 49 109.2 95.5 177.3

