

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_R\DATA\VR100518\
 Data File : VR025957.D
 Acq On : 5 Oct 2018 14:55
 Operator : SY/MD
 Sample : J5276-04
 Misc : 25mL/MSVOA_R/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 BEYA1

Quant Time: Oct 06 05:12:03 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092718WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Oct 06 04:21:51 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	404206	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	342514	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.23	152	107872	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	114830	3.60	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	72.00%
7) Chloroethane-d5	2.64	69	106389	4.08	ug/L	0.01
Spiked Amount	5.000	Range	65 - 130	Recovery	=	81.60%
11) 1,1-Dichloroethene-d2	3.64	63	208879	2.79	ug/L	0.02
Spiked Amount	5.000	Range	60 - 125	Recovery	=	55.80%#
20) 2-Butanone-d5	6.59	46	178005	50.09	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	100.18%
24) Chloroform-d	7.20	84	231227	4.17	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	83.40%
26) 1,2-Dichloroethane-d4	7.90	65	104616	4.39	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.80%
32) Benzene-d6	7.85	84	420553	3.69	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	73.80%
36) 1,2-Dichloropropane-d6	8.90	67	126753	4.13	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	82.60%
41) Toluene-d8	9.97	98	362614	3.39	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	67.80%#
43) trans-1,3-Dichloropropene-	10.24	79	26136	3.75	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	75.00%
46) 2-Hexanone-d5	10.59	63	132050	49.66	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	99.32%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	53928	4.33	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	86.60%
64) 1,2-Dichlorobenzene-d4	13.51	152	75582	4.37	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	87.40%

Target Compounds					Qvalue
34) Trichloroethene	8.71	95	55060	1.819 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_R\DATA\VR100518\
Data File : VR025957.D
Acq On : 5 Oct 2018 14:55
Operator : SY/MD
Sample : J5276-04
Misc : 25mL/MSVOA_R/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
BEYA1

Quant Time: Oct 06 05:12:03 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092718WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Oct 06 04:21:51 2018
Response via : Initial Calibration

