

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_R\DATA\VR100518\
 Data File : VR025969.D
 Acq On : 5 Oct 2018 23:42
 Operator : SY/MD
 Sample : J5276-14
 Misc : 25mL/MSVOA_R/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 BEYB1

Quant Time: Oct 06 06:19:13 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092718WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Oct 06 05:30:02 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	415965	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	350063	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.22	152	116836	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	103877	3.17	ug/L	-0.01
Spiked Amount	5.000	Range	40 - 130	Recovery	=	63.40%
7) Chloroethane-d5	2.63	69	107288	4.00	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	80.00%
11) 1,1-Dichloroethene-d2	3.63	63	184545	2.40	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	48.00%#
20) 2-Butanone-d5	6.59	46	189451	51.81	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	103.62%
24) Chloroform-d	7.20	84	213676	3.74	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	74.80%
26) 1,2-Dichloroethane-d4	7.90	65	96755	3.94	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	78.80%
32) Benzene-d6	7.85	84	373233	3.20	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	64.00%#
36) 1,2-Dichloropropane-d6	8.90	67	113982	3.63	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	72.60%
41) Toluene-d8	9.97	98	317062	2.90	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	58.00%#
43) trans-1,3-Dichloropropene-	10.24	79	23622	3.32	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	66.40%
46) 2-Hexanone-d5	10.59	63	137577	50.62	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	101.24%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	53542	4.20	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	84.00%
64) 1,2-Dichlorobenzene-d4	13.52	152	71260	3.81	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	76.20%#

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_R\DATA\VR100518\
Data File : VR025969.D
Acq On : 5 Oct 2018 23:42
Operator : SY/MD
Sample : J5276-14
Misc : 25mL/MSVOA_R/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
BEYB1

Quant Time: Oct 06 06:19:13 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092718WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Oct 06 05:30:02 2018
Response via : Initial Calibration

