

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_R\DATA\VR100518\
 Data File : VR025958.D
 Acq On : 5 Oct 2018 15:27
 Operator : SY/MD
 Sample : J5276-05
 Misc : 25mL/MSVOA_R/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 BEYA2

Quant Time: Oct 06 05:14:37 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092718WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Oct 06 04:21:51 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	410100	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	345063	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.22	152	116569	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	123092	3.81	ug/L	-0.01
Spiked Amount	5.000	Range	40 - 130	Recovery	=	76.20%
7) Chloroethane-d5	2.62	69	122560	4.64	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	92.80%
11) 1,1-Dichloroethene-d2	3.63	63	215573	2.84	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	56.80%#
20) 2-Butanone-d5	6.59	46	197398	54.75	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	109.50%
24) Chloroform-d	7.20	84	231634	4.11	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	82.20%
26) 1,2-Dichloroethane-d4	7.90	65	107755	4.45	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	89.00%
32) Benzene-d6	7.85	84	424322	3.70	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	74.00%
36) 1,2-Dichloropropane-d6	8.90	67	127297	4.11	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	82.20%
41) Toluene-d8	9.97	98	367430	3.41	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	68.20%#
43) trans-1,3-Dichloropropene-	10.24	79	27618	3.93	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	78.60%
46) 2-Hexanone-d5	10.59	63	142797	53.30	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	106.60%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	57142	4.55	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	91.00%
64) 1,2-Dichlorobenzene-d4	13.51	152	78755	4.22	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	84.40%


Target Compounds					Qvalue
13) Acetone	3.70	43	5528	2.115 ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_R\DATA\VR100518\
Data File : VR025958.D
Acq On : 5 Oct 2018 15:27
Operator : SY/MD
Sample : J5276-05
Misc : 25mL/MSVOA_R/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
BEYA2

Quant Time: Oct 06 05:14:37 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092718WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Oct 06 04:21:51 2018
Response via : Initial Calibration





#13

Acetone

Concen: 2.115 ug/L

RT: 3.70 min Scan# 333

Delta R.T. 0.00 min

Lab File: VR025958.D

Acq: 5 Oct 2018 15:27

Instrument :
MSVOA_R
ClientSampleId :
BEYA2

Tgt Ion: 43 Resp: 5528

Ion Ratio Lower Upper

43 100

58 22.2 0.0 51.4

