

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_R\DATA\VR100518\
 Data File : VR025965.D
 Acq On : 5 Oct 2018 21:31
 Operator : SY/MD
 Sample : J5276-10
 Misc : 25mL/MSVOA_R/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 BEYA7

Quant Time: Oct 06 05:41:20 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092718WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Oct 06 05:30:02 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	399799	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	337423	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.23	152	110403	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	114652	3.64	ug/L	-0.01
Spiked Amount	5.000	Range	40 - 130	Recovery	=	72.80%
7) Chloroethane-d5	2.63	69	120489	4.68	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	93.60%
11) 1,1-Dichloroethene-d2	3.63	63	206783	2.79	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	55.80%#
20) 2-Butanone-d5	6.59	46	190967	54.33	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	108.66%
24) Chloroform-d	7.20	84	221693	4.04	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	80.80%
26) 1,2-Dichloroethane-d4	7.90	65	105711	4.48	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	89.60%
32) Benzene-d6	7.85	84	411411	3.66	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	73.20%
36) 1,2-Dichloropropane-d6	8.90	67	125772	4.16	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	83.20%
41) Toluene-d8	9.97	98	357284	3.39	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	67.80%#
43) trans-1,3-Dichloropropene-	10.24	79	25108	3.66	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	73.20%
46) 2-Hexanone-d5	10.59	63	139190	53.13	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	106.26%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	57156	4.65	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	93.00%
64) 1,2-Dichlorobenzene-d4	13.52	152	78544	4.44	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	88.80%


Target Compounds					Qvalue
29) 1,1,1-Trichloroethane	7.43	97	10777	0.284 ug/L #	83
34) Trichloroethene	8.71	95	431361	14.465 ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_R\DATA\VR100518\
Data File : VR025965.D
Acq On : 5 Oct 2018 21:31
Operator : SY/MD
Sample : J5276-10
Misc : 25mL/MSVOA_R/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
BEYA7

Quant Time: Oct 06 05:41:20 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092718WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Oct 06 05:30:02 2018
Response via : Initial Calibration









#29
1,1,1-Trichloroethane
Concen: 0.284 ug/L
RT: 7.43 min Scan# 946
Delta R.T. 0.01 min
Lab File: VR025965.D
Acq: 5 Oct 2018 21:31

Instrument :
MSVOA_R
ClientSampleId :
BEYA7

Tgt Ion: 97 Resp: 10777
Ion Ratio Lower Upper
97 100
99 63.4 51.0 76.6
61 26.4 41.6 62.4#



#34
Trichloroethene
Concen: 14.465 ug/L
RT: 8.71 min Scan# 1156
Delta R.T. -0.00 min
Lab File: VR025965.D
Acq: 5 Oct 2018 21:31

Tgt Ion: 95 Resp: 431361
Ion Ratio Lower Upper
95 100
97 66.7 43.9 81.5
132 81.9 53.3 98.9
130 85.1 53.8 99.8

