

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_R\DATA\VR100518\
 Data File : VR025975.D
 Acq On : 6 Oct 2018 2:59
 Operator : SY/MD
 Sample : J5276-20
 Misc : 25mL/MSVOA_R/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 BEYB7

Quant Time: Oct 06 06:34:43 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092718WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Oct 06 05:30:02 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	401007	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	338607	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.22	152	113335	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	100860	3.19	ug/L	-0.02
Spiked Amount	5.000	Range	40 - 130	Recovery	=	63.80%
7) Chloroethane-d5	2.62	69	107483	4.16	ug/L	-0.01
Spiked Amount	5.000	Range	65 - 130	Recovery	=	83.20%
11) 1,1-Dichloroethene-d2	3.62	63	193760	2.61	ug/L	-0.01
Spiked Amount	5.000	Range	60 - 125	Recovery	=	52.20%#
20) 2-Butanone-d5	6.59	46	193511	54.89	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	109.78%
24) Chloroform-d	7.20	84	211607	3.84	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	76.80%
26) 1,2-Dichloroethane-d4	7.89	65	102248	4.32	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	86.40%
32) Benzene-d6	7.85	84	378865	3.36	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	67.20%#
36) 1,2-Dichloropropane-d6	8.90	67	117458	3.87	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	77.40%
41) Toluene-d8	9.97	98	321804	3.04	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	60.80%#
43) trans-1,3-Dichloropropene-	10.23	79	23513	3.41	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	68.20%
46) 2-Hexanone-d5	10.59	63	138600	52.72	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	105.44%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	54129	4.39	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	87.80%
64) 1,2-Dichlorobenzene-d4	13.52	152	74567	4.11	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	82.20%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_R\DATA\VR100518\
Data File : VR025975.D
Acq On : 6 Oct 2018 2:59
Operator : SY/MD
Sample : J5276-20
Misc : 25mL/MSVOA_R/WATER
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
BEYB7

Quant Time: Oct 06 06:34:43 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092718WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Oct 06 05:30:02 2018
Response via : Initial Calibration

