

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR100818\
 Data File : VR025986.D
 Acq On : 8 Oct 2018 15:07
 Operator : SY/MD
 Sample : J5276-15
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 BEYB2

Quant Time: Oct 09 05:57:20 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092718WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Oct 09 05:29:53 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	404292	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	343754	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.22	152	117691	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	177083	5.55	ug/L	-0.02
Spiked Amount	5.000	Range	40 - 130	Recovery	=	111.00%
7) Chloroethane-d5	2.63	69	155111	5.95	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	119.00%
11) 1,1-Dichloroethene-d2	3.63	63	319961	4.27	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	85.40%
20) 2-Butanone-d5	6.59	46	195967	55.14	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	110.28%
24) Chloroform-d	7.20	84	282787	5.10	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	102.00%
26) 1,2-Dichloroethane-d4	7.89	65	130192	5.46	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	109.20%
32) Benzene-d6	7.85	84	564710	4.94	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.80%
36) 1,2-Dichloropropane-d6	8.90	67	151226	4.90	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	98.00%
41) Toluene-d8	9.97	98	521918	4.86	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	97.20%
43) trans-1,3-Dichloropropene-	10.24	79	37044	5.30	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	106.00%
46) 2-Hexanone-d5	10.59	63	152162	57.02	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	114.04%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	64466	5.15	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	103.00%
64) 1,2-Dichlorobenzene-d4	13.51	152	100485	5.33	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	106.60%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA R\DATA\VR100818\
Data File : VR025986.D
Acq On : 8 Oct 2018 15:07
Operator : SY/MD
Sample : J5276-15
Misc : 25mL/MSVOA R/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
BEYB2

Quant Time: Oct 09 05:57:20 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092718WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Oct 09 05:29:53 2018
Response via : Initial Calibration

