

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR100818\
 Data File : VR025987.D
 Acq On : 8 Oct 2018 15:40
 Operator : SY/MD
 Sample : J5276-17
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 BEYB4

Quant Time: Oct 09 06:25:21 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092718WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Oct 09 05:29:53 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	424004	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	356756	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.22	152	118606	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	170076	5.09	ug/L	-0.01
Spiked Amount	5.000	Range	40 - 130	Recovery	=	101.80%
7) Chloroethane-d5	2.63	69	159786	5.85	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	117.00%
11) 1,1-Dichloroethene-d2	3.64	63	327511	4.17	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	83.40%
20) 2-Butanone-d5	6.59	46	202542	54.34	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	108.68%
24) Chloroform-d	7.20	84	297493	5.11	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	102.20%
26) 1,2-Dichloroethane-d4	7.90	65	139190	5.56	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	111.20%
32) Benzene-d6	7.85	84	590127	4.97	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.40%
36) 1,2-Dichloropropane-d6	8.90	67	162758	5.09	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	101.80%
41) Toluene-d8	9.97	98	547758	4.91	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.20%
43) trans-1,3-Dichloropropene-	10.23	79	37869	5.22	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	104.40%
46) 2-Hexanone-d5	10.59	63	157856	56.99	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	113.98%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	64432	4.96	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	99.20%
64) 1,2-Dichlorobenzene-d4	13.51	152	101427	5.34	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	106.80%


Target Compounds					Ovalue
13) Acetone	3.70	43	16361	6.056 ug/L	88
16) Methylene chloride	4.41	84	9778	0.332 ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA R\DATA\VR100818\
Data File : VR025987.D
Acq On : 8 Oct 2018 15:40
Operator : SY/MD
Sample : J5276-17
Misc : 25mL/MSVOA R/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
BEYB4

Quant Time: Oct 09 06:25:21 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092718WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Oct 09 05:29:53 2018
Response via : Initial Calibration





#13

Acetone

Concen: 6.056 ug/L

RT: 3.70 min Scan# 332

Delta R.T. -0.01 min

Lab File: VR025987.D

Acq: 8 Oct 2018 15:40

Instrument :

MSVOA_R

ClientSampleId :





BEYB4

Tot Ion: 43 Resp: 16361

Ion Ratio Lower Upper

43 100

58 19.6 0.0 51.4



#16

Methylene chloride

Concen: 0.332 ug/L

RT: 4.41 min Scan# 449

Delta R.T. 0.01 min

Lab File: VR025987.D

Acq: 8 Oct 2018 15:40

Tgt Ion: 84 Resp: 9778

Ion Ratio Lower Upper

84 100

86 52.9 43.1 80.1

49 148.5 95.5 177.3

