

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR100818\
 Data File : VR025989.D
 Acq On : 8 Oct 2018 16:46
 Operator : SY/MD
 Sample : J5276-19DL 4X
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 BEYB6DL

Quant Time: Oct 09 06:30:27 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092718WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Oct 09 05:29:53 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	473352	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	395580	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.22	152	128670	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	180874	4.85	ug/L	-0.02
Spiked Amount	5.000	Range	40 - 130	Recovery	=	97.00%
7) Chloroethane-d5	2.63	69	153470	5.03	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	100.60%
11) 1,1-Dichloroethene-d2	3.64	63	318944	3.64	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	72.80%
20) 2-Butanone-d5	6.59	46	193324	46.46	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	92.92%
24) Chloroform-d	7.20	84	279597	4.30	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	86.00%
26) 1,2-Dichloroethane-d4	7.90	65	127286	4.56	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	91.20%
32) Benzene-d6	7.85	84	556383	4.23	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	84.60%
36) 1,2-Dichloropropane-d6	8.90	67	158074	4.46	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	89.20%
41) Toluene-d8	9.97	98	519550	4.20	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	84.00%
43) trans-1,3-Dichloropropene-	10.24	79	35691	4.43	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	88.60%
46) 2-Hexanone-d5	10.59	63	150273	48.93	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	97.86%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	63437	4.41	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	88.20%
64) 1,2-Dichlorobenzene-d4	13.51	152	96399	4.68	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	93.60%


Target Compounds					Ovalue
34) Trichloroethene	8.71	95	167675	4.796 ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA R\DATA\VR100818\
Data File : VR025989.D
Acq On : 8 Oct 2018 16:46
Operator : SY/MD
Sample : J5276-19DL 4X
Misc : 25mL/MSVOA R/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
BEYB6DL

Quant Time: Oct 09 06:30:27 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092718WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Oct 09 05:29:53 2018
Response via : Initial Calibration





#34

Trichloroethene

Concen: 4.796 ug/L

RT: 8.71 min Scan# 1156

Delta R.T. 0.00 min

Lab File: VR025989.D

Acq: 8 Oct 2018 16:46

Instrument :

MSVOA_R

ClientSampleId :

BEYB6DL

Tot Ion: 95 Resp: 167675



Ion Ratio Lower Upper

95 100

97 67.0 43.9 81.5

132 85.1 53.3 98.9

130 88.0 53.8 99.8



Abundance Ion 95.00 (94.70 to 95.70): VR0

Ion 96.95 (96.65 to 97.65): VR0

Ion 131.95 (131.65 to 132.65): V

Ion 129.95 (129.65 to 130.65): V

