

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR101018\
 Data File : VR026031.D
 Acq On : 10 Oct 2018 16:07
 Operator : SY/MD
 Sample : J5380-06
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 VHBLK01

Manual Integrations
 APPROVED

MMDadoda
 10/11/2018 6:29:07 PM

Quant Time: Oct 11 04:56:05 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092718WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Oct 11 04:11:41 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	417753	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	358817	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.22	152	118366	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	191923	5.83	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	116.60%
7) Chloroethane-d5	2.63	69	157311	5.84	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	116.80%
11) 1,1-Dichloroethene-d2	3.64	63	340167	4.40	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	88.00%
20) 2-Butanone-d5	6.59	46	159393	43.40	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	86.80%
24) Chloroform-d	7.20	84	260637	4.55	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	91.00%
26) 1,2-Dichloroethane-d4	7.89	65	119400	4.84	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	96.80%
32) Benzene-d6	7.85	84	521354	4.37	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.40%
36) 1,2-Dichloropropane-d6	8.90	67	145667	4.53	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	90.60%
41) Toluene-d8	9.97	98	489345	4.36	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.20%
43) trans-1,3-Dichloropropene-	10.24	79	32280	4.42	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	88.40%
46) 2-Hexanone-d5	10.59	63	126943	45.57	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	91.14%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	53385	4.09	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	81.80%
64) 1,2-Dichlorobenzene-d4	13.51	152	84931	4.48	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	89.60%

Target Compounds				Ovalue
16) Methylene chloride	4.40	84	11468m	0.395 ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR101018\
Data File : VR026031.D
Acq On : 10 Oct 2018 16:07
Operator : SY/MD
Sample : J5380-06
Misc : 25mL/MSVOA R/WATER
ALS Vial : 12 Sample Multiplier: 1


Instrument :
MSVOA_R
ClientSampleId :
VHBLK01

Manual Integrations
APPROVED

MMDadoda
10/11/2018 6:29:07 PM

Quant Time: Oct 11 04:56:05 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092718WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Oct 11 04:11:41 2018
Response via : Initial Calibration





#16
Methylene chloride
Concen: 0.395 ug/L m
RT: 4.40 min Scan# 447
Delta R.T. -0.01 min
Lab File: VR026031.D
Acq: 10 Oct 2018 16:07

Instrument :
MSVOA_R
ClientSampleId :
VHBLK01

Tot Ion	Ratio	Lower	Upper
84	100		
86	55.6	43.1	80.1
49	115.4	95.5	177.3

Manual Integrations
APPROVED

MMDadoda
10/11/2018 6:29:07 PM

