

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_R\DATA\VR101218\
 Data File : VR026065.D
 Acq On : 12 Oct 2018 17:12
 Operator : SY/MD
 Sample : J5315-15DL 200X
 Misc : 25mL/MSVOA_R/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 C0JA6DL

Quant Time: Oct 13 02:12:45 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092718WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Oct 13 00:51:09 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	498730	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	430222	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.23	152	145117	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	148153	3.77	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	75.40%
7) Chloroethane-d5	2.63	69	149442	4.65	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	93.00%
11) 1,1-Dichloroethene-d2	3.62	63	268326	2.90	ug/L	0.01
Spiked Amount	5.000	Range	60 - 125	Recovery	=	58.00%#
20) 2-Butanone-d5	6.59	46	209303	47.74	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	95.48%
24) Chloroform-d	7.20	84	270108	3.95	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	79.00%
26) 1,2-Dichloroethane-d4	7.89	65	127172	4.32	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	86.40%
32) Benzene-d6	7.85	84	488663	3.41	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	68.20%#
36) 1,2-Dichloropropane-d6	8.90	67	151948	3.94	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	78.80%
41) Toluene-d8	9.97	98	427906	3.18	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	63.60%#
43) trans-1,3-Dichloropropene-	10.24	79	31769	3.63	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	72.60%
46) 2-Hexanone-d5	10.59	63	166178	49.75	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	99.50%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	67256	4.30	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	86.00%
64) 1,2-Dichlorobenzene-d4	13.51	152	94356	4.06	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	81.20%

Target Compounds					Qvalue
47) Tetrachloroethene	10.51	164	196410	8.383 ug/L	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_R\DATA\VR101218\
Data File : VR026065.D
Acq On : 12 Oct 2018 17:12
Operator : SY/MD
Sample : J5315-15DL 200X
Misc : 25mL/MSVOA_R/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
C0JA6DL

Quant Time: Oct 13 02:12:45 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092718WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Oct 13 00:51:09 2018
Response via : Initial Calibration

