

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR110518\
 Data File : VR026179.D
 Acq On : 5 Nov 2018 14:42
 Operator : SY/MD
 Sample : J5802-15
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 C0BE1

Quant Time: Nov 06 03:43:13 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR101518WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Nov 06 03:06:52 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	526828	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	437561	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.23	152	133231	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.14	65	226355	4.91	ug/L	-0.01
Spiked Amount	5.000	Range	40 - 130	Recovery	=	98.20%
7) Chloroethane-d5	2.62	69	206508	5.21	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	104.20%
11) 1,1-Dichloroethene-d2	3.60	63	431370	3.81	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	76.20%
20) 2-Butanone-d5	6.59	46	190825	50.41	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	100.82%
24) Chloroform-d	7.20	84	370656	5.06	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	101.20%
26) 1,2-Dichloroethane-d4	7.89	65	150903	4.95	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	99.00%
32) Benzene-d6	7.85	84	730614	5.20	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	104.00%
36) 1,2-Dichloropropane-d6	8.90	67	196240	5.40	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	108.00%
41) Toluene-d8	9.97	98	696176	5.24	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	104.80%
43) trans-1,3-Dichloropropene-	10.24	79	45694	4.80	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	96.00%
46) 2-Hexanone-d5	10.59	63	144217	52.45	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	104.90%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	72102	5.06	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	101.20%
64) 1,2-Dichlorobenzene-d4	13.51	152	122715	5.83	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	116.60%

Target Compounds					Ovalue
42) Toluene	10.03	91	34070	0.197 ug/L	88

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA R\DATA\VR110518\
Data File : VR026179.D
Acq On : 5 Nov 2018 14:42
Operator : SY/MD
Sample : J5802-15
Misc : 25mL/MSVOA R/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
C0BE1

Quant Time: Nov 06 03:43:13 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR101518WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Nov 06 03:06:52 2018
Response via : Initial Calibration

