

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_R\DATA\VR122118\
 Data File : VR026288.D
 Acq On : 21 Dec 2018 18:59
 Operator : SY/MD
 Sample : J6535-03
 Misc : 25mL/MSVOA_R/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 C0TQ8

Quant Time: Dec 21 22:47:11 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR121718WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Dec 21 22:24:46 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	518856	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	434692	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.23	152	130478	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	152135	4.61	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	92.20%
7) Chloroethane-d5	2.63	69	158153	4.83	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	96.60%
11) 1,1-Dichloroethene-d2	3.61	63	323721	3.47	ug/L	-0.01
Spiked Amount	5.000	Range	60 - 125	Recovery	=	69.40%
20) 2-Butanone-d5	6.59	46	159683	54.46	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	108.92%
24) Chloroform-d	7.20	84	333755	4.73	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.60%
26) 1,2-Dichloroethane-d4	7.90	65	133658	5.16	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	103.20%
32) Benzene-d6	7.85	84	640699	4.58	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	91.60%
36) 1,2-Dichloropropane-d6	8.90	67	175937	4.95	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	99.00%
41) Toluene-d8	9.97	98	573628	4.48	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	89.60%
43) trans-1,3-Dichloropropene-	10.24	79	40286	4.31	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	86.20%
46) 2-Hexanone-d5	10.59	63	112842	58.06	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	116.12%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	69242	5.26	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	105.20%
64) 1,2-Dichlorobenzene-d4	13.52	152	119506	5.75	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	115.00%

Target Compounds					Qvalue
34) Trichloroethene	8.72	95	7079	0.157 ug/L	84

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_R\DATA\VR122118\
Data File : VR026288.D
Acq On : 21 Dec 2018 18:59
Operator : SY/MD
Sample : J6535-03
Misc : 25mL/MSVOA_R/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
C0TQ8

Quant Time: Dec 21 22:47:11 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR121718WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Dec 21 22:24:46 2018
Response via : Initial Calibration

