

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_R\DATA\VR122118\
 Data File : VR026289.D
 Acq On : 21 Dec 2018 19:33
 Operator : SY/MD
 Sample : J6535-04
 Misc : 25mL/MSVOA_R/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 C0TQ9

Quant Time: Dec 21 22:50:07 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR121718WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Dec 21 22:24:46 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	503974	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	427388	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.23	152	123712	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	148230	4.62	ug/L	-0.01
Spiked Amount	5.000	Range	40 - 130	Recovery	=	92.40%
7) Chloroethane-d5	2.63	69	148599	4.67	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	93.40%
11) 1,1-Dichloroethene-d2	3.61	63	307335	3.39	ug/L	-0.01
Spiked Amount	5.000	Range	60 - 125	Recovery	=	67.80%
20) 2-Butanone-d5	6.59	46	155775	54.69	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	109.38%
24) Chloroform-d	7.20	84	329053	4.80	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.00%
26) 1,2-Dichloroethane-d4	7.90	65	134355	5.34	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	106.80%
32) Benzene-d6	7.86	84	624437	4.54	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.80%
36) 1,2-Dichloropropane-d6	8.90	67	172573	4.94	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	98.80%
41) Toluene-d8	9.97	98	563180	4.47	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	89.40%
43) trans-1,3-Dichloropropene-	10.24	79	37242	4.05	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	81.00%
46) 2-Hexanone-d5	10.59	63	104835	54.87	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	109.74%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	63269	4.88	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	97.60%
64) 1,2-Dichlorobenzene-d4	13.52	152	116565	5.91	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	118.20%

Target Compounds					Qvalue
34) Trichloroethene	8.71	95	6337	0.143 ug/L	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_R\DATA\VR122118\
Data File : VR026289.D
Acq On : 21 Dec 2018 19:33
Operator : SY/MD
Sample : J6535-04
Misc : 25mL/MSVOA_R/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
C0TQ9

Quant Time: Dec 21 22:50:07 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR121718WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Dec 21 22:24:46 2018
Response via : Initial Calibration

