

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_R\DATA\VR122418\
 Data File : VR026299.D
 Acq On : 24 Dec 2018 13:27
 Operator : SY/MD
 Sample : J6535-11
 Misc : 25mL/MSVOA_R/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 VHBLK01

Quant Time: Dec 24 23:21:19 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR121718WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Mon Dec 24 22:50:14 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	562650	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	433214	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.23	152	133741	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	178360	4.98	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	99.60%
7) Chloroethane-d5	2.63	69	190435	5.36	ug/L	0.01
Spiked Amount	5.000	Range	65 - 130	Recovery	=	107.20%
11) 1,1-Dichloroethene-d2	3.61	63	378581	3.74	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	74.80%
20) 2-Butanone-d5	6.59	46	166918	52.49	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	104.98%
24) Chloroform-d	7.20	84	376707	4.93	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.60%
26) 1,2-Dichloroethane-d4	7.90	65	141973	5.06	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	101.20%
32) Benzene-d6	7.85	84	738370	5.30	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	106.00%
36) 1,2-Dichloropropane-d6	8.90	67	192390	5.43	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	108.60%
41) Toluene-d8	9.97	98	649614	5.09	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	101.80%
43) trans-1,3-Dichloropropene-	10.24	79	41251	4.43	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	88.60%
46) 2-Hexanone-d5	10.59	63	103899	53.64	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	107.28%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	64977	4.95	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	99.00%
64) 1,2-Dichlorobenzene-d4	13.52	152	118602	5.56	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	111.20%

Target Compounds					Qvalue
16) Methylene chloride	4.40	84	15698	0.365 ug/L	# 79

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_R\DATA\VR122418\
Data File : VR026299.D
Acq On : 24 Dec 2018 13:27
Operator : SY/MD
Sample : J6535-11
Misc : 25mL/MSVOA_R/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
VHBLK01

Quant Time: Dec 24 23:21:19 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR121718WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Mon Dec 24 22:50:14 2018
Response via : Initial Calibration

