

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_R\DATA\VR122418\
 Data File : VR026296.D
 Acq On : 24 Dec 2018 11:40
 Operator : SY/MD
 Sample : VR1224WBL01
 Misc : 25mL/MSVOA_R/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 VBLK83

Quant Time: Dec 24 23:07:07 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR121718WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Mon Dec 24 22:50:14 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	644293	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	500313	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.23	152	153447	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	180604	4.40	ug/L	-0.01
Spiked Amount	5.000	Range	40 - 130	Recovery	=	88.00%
7) Chloroethane-d5	2.62	69	192075	4.72	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	94.40%
11) 1,1-Dichloroethene-d2	3.60	63	377273	3.26	ug/L	-0.01
Spiked Amount	5.000	Range	60 - 125	Recovery	=	65.20%
20) 2-Butanone-d5	6.59	46	168697	46.33	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	92.66%
24) Chloroform-d	7.20	84	380919	4.35	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.00%
26) 1,2-Dichloroethane-d4	7.90	65	144343	4.49	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	89.80%
32) Benzene-d6	7.85	84	734237	4.56	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	91.20%
36) 1,2-Dichloropropane-d6	8.89	67	187599	4.59	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	91.80%
41) Toluene-d8	9.97	98	633605	4.30	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	86.00%
43) trans-1,3-Dichloropropene-	10.24	79	41714	3.88	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	77.60%
46) 2-Hexanone-d5	10.59	63	105859	47.33	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	94.66%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	64467	4.25	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	85.00%
64) 1,2-Dichlorobenzene-d4	13.52	152	120707	4.94	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	98.80%


Target Compounds					Qvalue
16) Methylene chloride	4.41	84	23061	0.468 ug/L	86


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_R\DATA\VR122418\
Data File : VR026296.D
Acq On : 24 Dec 2018 11:40
Operator : SY/MD
Sample : VR1224WBL01
Misc : 25mL/MSVOA_R/WATER
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
VBLK83

Quant Time: Dec 24 23:07:07 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR121718WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Mon Dec 24 22:50:14 2018
Response via : Initial Calibration





#16
Methylene chloride
Concen: 0.468 ug/L
RT: 4.41 min Scan# 449
Delta R.T. 0.00 min
Lab File: VR026296.D
Acq: 24 Dec 2018 11:40

Instrument :
MSVOA_R
ClientSampleId :
VBLK83

Tgt Ion: 84 Resp: 23061
Ion Ratio Lower Upper
84 100
86 64.1 45.8 85.0
49 102.7 88.7 164.7

