

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY010324\
 Data File : VY016904.D
 Acq On : 03 Jan 2024 09:52
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 04 00:29:04 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y010224S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jan 02 14:25:32 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	102	0.00
2 T	Dichlorodifluoromethane	0.403	0.316	21.6	83	0.00
3 P	Chloromethane	0.587	0.517	11.9	88	0.00
4 C	Vinyl Chloride	0.693	0.611	11.8#	87	0.00
5 T	Bromomethane	0.496	0.432	12.9	91	0.00
6 T	Chloroethane	0.469	0.418	10.9	89	0.00
7 T	Trichlorofluoromethane	0.854	0.746	12.6	86	0.00
8 T	Diethyl Ether	0.273	0.255	6.6	90	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.555	0.483	13.0	87	0.00
10 T	Methyl Iodide	0.472	0.445	5.7	86	0.00
11 T	Tert butyl alcohol	0.048	0.036	25.0#	99	0.00
12 CM	1,1-Dichloroethene	0.476	0.422	11.3#	87	0.00
13 T	Acrolein	0.060	0.054	10.0	103	0.00
14 T	Allyl chloride	0.753	0.691	8.2	88	0.00
15 T	Acrylonitrile	0.128	0.121	5.5	93	0.00
16 T	Acetone	0.149	0.134	10.1	109	0.00
17 T	Carbon Disulfide	1.138	1.052	7.6	86	0.00
18 T	Methyl Acetate	0.529	0.557	-5.3	93	-0.01
19 T	Methyl tert-butyl Ether	1.239	1.182	4.6	91	0.00
20 T	Methylene Chloride	0.817	0.547	33.0#	84	0.00
21 T	trans-1,2-Dichloroethene	0.545	0.496	9.0	88	0.00
22 T	Diisopropyl ether	1.741	1.676	3.7	90	0.00
23 T	Vinyl Acetate	0.798	0.749	6.1	91	0.00
24 P	1,1-Dichloroethane	1.046	0.938	10.3	87	0.00
25 T	2-Butanone	0.188	0.176	6.4	102	0.00
26 T	2,2-Dichloropropane	0.907	0.813	10.4	88	0.00
27 T	cis-1,2-Dichloroethene	0.639	0.595	6.9	90	0.00
28 T	Bromochloromethane	0.393	0.355	9.7	80	0.00
29 T	Tetrahydrofuran	0.100	0.097	3.0	93	0.00
30 C	Chloroform	1.078	0.974	9.6#	89	0.00
31 T	Cyclohexane	0.848	0.747	11.9	87	0.00
32 T	1,1,1-Trichloroethane	0.914	0.830	9.2	88	0.00
33 S	1,2-Dichloroethane-d4	0.494	0.468	5.3	96	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	104	0.00
35 S	Dibromofluoromethane	0.319	0.300	6.0	95	0.00
36 T	1,1-Dichloropropene	0.464	0.425	8.4	88	0.00
37 T	Ethyl Acetate	0.211	0.196	7.1	91	0.00
38 T	Carbon Tetrachloride	0.472	0.420	11.0	87	0.00
39 T	Methylcyclohexane	0.522	0.489	6.3	87	0.00
40 TM	Benzene	1.393	1.278	8.3	89	0.00
41 T	Methacrylonitrile	0.111	0.120	-8.1	116	0.00
42 TM	1,2-Dichloroethane	0.370	0.339	8.4	91	0.00
43 T	Isopropyl Acetate	0.404	0.380	5.9	93	0.00
44 TM	Trichloroethene	0.354	0.319	9.9	87	0.00
45 C	1,2-Dichloropropane	0.359	0.332	7.5#	90	0.00
46 T	Dibromomethane	0.183	0.167	8.7	89	0.00
47 T	Bromodichloromethane	0.491	0.450	8.4	90	0.00
48 T	Methyl methacrylate	0.218	0.209	4.1	90	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY010324\
 Data File : VY016904.D
 Acq On : 03 Jan 2024 09:52
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 04 00:29:04 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y010224S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jan 02 14:25:32 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.002	0.002	0.0	94	0.00
50 S	Toluene-d8	1.097	1.069	2.6	94	0.00
51 T	4-Methyl-2-Pentanone	0.215	0.210	2.3	92	0.00
52 CM	Toluene	0.841	0.780	7.3#	89	0.00
53 T	t-1,3-Dichloropropene	0.440	0.416	5.5	90	0.00
54 T	cis-1,3-Dichloropropene	0.529	0.499	5.7	91	0.00
55 T	1,1,2-Trichloroethane	0.267	0.245	8.2	90	0.00
56 T	Ethyl methacrylate	0.226	0.223	1.3	92	0.00
57 T	1,3-Dichloropropane	0.446	0.411	7.8	90	0.00
58 T	2-Chloroethyl Vinyl ether	0.129	0.143	-10.9	102	0.00
59 T	2-Hexanone	0.158	0.153	3.2	97	0.00
60 T	Dibromochloromethane	0.308	0.288	6.5	90	0.00
61 T	1,2-Dibromoethane	0.232	0.219	5.6	90	0.00
62 S	4-Bromofluorobenzene	0.370	0.349	5.7	95	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	105	0.00
64 T	Tetrachloroethene	0.324	0.291	10.2	89	0.00
65 PM	Chlorobenzene	1.042	0.948	9.0	90	0.00
66 T	1,1,1,2-Tetrachloroethane	0.396	0.365	7.8	90	0.00
67 C	Ethyl Benzene	1.875	1.743	7.0#	88	0.00
68 T	m/p-Xylenes	0.688	0.655	4.8	90	0.00
69 T	o-Xylene	0.645	0.602	6.7	88	0.00
70 T	Styrene	0.939	0.908	3.3	89	0.00
71 P	Bromoform	0.195	0.180	7.7	89	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	104	0.00
73 T	Isopropylbenzene	4.083	3.826	6.3	89	0.00
74 T	N-ethyl acetate	0.820	0.789	3.8	92	0.00
75 P	1,1,2,2-Tetrachloroethane	0.832	0.769	7.6	94	0.00
76 T	1,2,3-Trichloropropane	0.543	0.561	-3.3	92	0.00
77 T	Bromobenzene	0.899	0.819	8.9	90	0.00
78 T	n-propylbenzene	4.964	4.668	6.0	89	0.00
79 T	2-Chlorotoluene	2.753	2.538	7.8	89	0.00
80 T	1,3,5-Trimethylbenzene	3.229	3.045	5.7	89	0.00
81 T	trans-1,4-Dichloro-2-butene	0.239	0.227	5.0	96	0.00
82 T	4-Chlorotoluene	2.812	2.602	7.5	90	0.00
83 T	tert-Butylbenzene	2.844	2.622	7.8	89	0.00
84 T	1,2,4-Trimethylbenzene	3.180	3.015	5.2	90	0.00
85 T	sec-Butylbenzene	4.214	3.969	5.8	90	0.00
86 T	p-Isopropyltoluene	3.478	3.280	5.7	88	0.00
87 T	1,3-Dichlorobenzene	1.763	1.609	8.7	90	0.00
88 T	1,4-Dichlorobenzene	1.724	1.585	8.1	91	0.00
89 T	n-Butylbenzene	3.344	3.223	3.6	91	0.00
90 T	Hexachloroethane	0.747	0.667	10.7	88	0.00
91 T	1,2-Dichlorobenzene	1.524	1.402	8.0	91	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.104	0.093	10.6	94	0.00
93 T	1,2,4-Trichlorobenzene	0.757	0.738	2.5	91	0.00
94 T	Hexachlorobutadiene	0.474	0.431	9.1	89	0.00
95 T	Naphthalene	1.345	1.347	-0.1	91	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY010324\
Data File : VY016904.D
Acq On : 03 Jan 2024 09:52
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Jan 04 00:29:04 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y010224S.M
Quant Title : SW846 8260
QLast Update : Tue Jan 02 14:25:32 2024
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.642	0.622	3.1	91	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6