

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY010625\
 Data File : VY020782.D
 Acq On : 06 Jan 2025 14:15
 Operator : SY/MD
 Sample : VY0106SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0106SBL01

Quant Time: Jan 07 02:01:37 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y010625S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jan 07 01:31:46 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.725	168	167802	50.000	ug/l	0.01
34) 1,4-Difluorobenzene	8.628	114	281350	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.426	117	234489	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.359	152	89278	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.073	65	74285	52.084	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	104.160%
35) Dibromofluoromethane	7.646	113	85452	48.480	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	96.960%
50) Toluene-d8	10.115	98	325656	52.999	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	106.000%
62) 4-Bromofluorobenzene	12.420	95	94593	41.688	ug/l	0.01
Spiked Amount	50.000	Range	29 - 146	Recovery	=	83.380%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY010625\
Data File : VY020782.D
Acq On : 06 Jan 2025 14:15
Operator : SY/MD
Sample : VY0106SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0106SBL01

Quant Time: Jan 07 02:01:37 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y010625S.M
Quant Title : SW846 8260
QLast Update : Tue Jan 07 01:31:46 2025
Response via : Initial Calibration

