

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY010824\
 Data File : VY016932.D
 Acq On : 08 Jan 2024 13:18
 Operator : SY/MD
 Sample : P1056-01
 Misc : 5.53g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 MR-311P-0-2

Quant Time: Jan 09 06:35:19 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y010224S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jan 02 14:25:32 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.807	168	119846	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.710	114	254722	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.508	117	245432	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.440	152	90706	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.161	65	59909	50.577	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	101.160%
35) Dibromofluoromethane	7.740	113	62237	38.343	ug/l	0.01
Spiked Amount	50.000	Range	54 - 147	Recovery	=	76.680%
50) Toluene-d8	10.197	98	230197	41.184	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	82.360%
62) 4-Bromofluorobenzene	12.495	95	72436	38.411	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	76.820%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY010824\
Data File : VY016932.D
Acq On : 08 Jan 2024 13:18
Operator : SY/MD
Sample : P1056-01
Misc : 5.53g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
MR-311P-0-2

Quant Time: Jan 09 06:35:19 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y010224S.M
Quant Title : SW846 8260
QLast Update : Tue Jan 02 14:25:32 2024
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.807 min Scan# 91
Delta R.T. 0.006 min
Lab File: VY016932.D
Acq: 08 Jan 2024 13:18




Instrument :
MSVOA_Y
ClientSampleId :
MR-311P-0-2


Tgt Ion:168 Resp: 119846
Ion Ratio Lower Upper
168 100
99 56.6 44.2 66.4



#33
1,2-Dichloroethane-d4
Concen: 50.577 ug/l
RT: 8.161 min Scan# 1040
Delta R.T. 0.006 min
Lab File: VY016932.D
Acq: 08 Jan 2024 13:18

Tgt Ion: 65 Resp: 59909
Ion Ratio Lower Upper
65 100
67 54.6 0.0 109.0





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.710 min Scan# 1128

Delta R.T. 0.007 min

Lab File: VY016932.D

Acq: 08 Jan 2024 13:18

Instrument :

MSVOA_Y

ClientSampleId :

MR-311P-0-2





Tgt Ion:114 Resp: 254722

Ion Ratio Lower Upper

114 100

63 19.4 0.0 37.4

88 14.5 0.0 29.0



#35

Dibromofluoromethane

Concen: 38.343 ug/l

RT: 7.740 min Scan# 971

Delta R.T. 0.012 min

Lab File: VY016932.D

Acq: 08 Jan 2024 13:18




Tgt Ion:113 Resp: 62237


Ion Ratio Lower Upper

113 100

111 105.1 83.8 125.6

192 17.7 14.5 21.7









#50
Toluene-d8
Concen: 41.184 ug/l
RT: 10.197 min Scan# 11
Delta R.T. 0.006 min
Lab File: VY016932.D
Acq: 08 Jan 2024 13:18




Instrument :
MSVOA_Y
ClientSampleId :
MR-311P-0-2


Tgt Ion: 98 Resp: 230197
Ion Ratio Lower Upper
98 100
100 64.3 52.3 78.5



#62
4-Bromofluorobenzene
Concen: 38.411 ug/l
RT: 12.495 min Scan# 1751
Delta R.T. 0.006 min
Lab File: VY016932.D
Acq: 08 Jan 2024 13:18

Tgt Ion: 95 Resp: 72436
Ion Ratio Lower Upper
95 100
174 79.0 0.0 160.0
176 77.3 0.0 151.8









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.508 min Scan# 11
Delta R.T. 0.006 min
Lab File: VY016932.D
Acq: 08 Jan 2024 13:18

Instrument :
MSVOA_Y
ClientSampleId :
MR-311P-0-2

Tgt Ion:117 Resp: 245432
Ion Ratio Lower Upper
117 100
82 53.5 43.8 65.8
119 32.5 26.5 39.7



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.440 min Scan# 1906
Delta R.T. 0.006 min
Lab File: VY016932.D
Acq: 08 Jan 2024 13:18

Tgt Ion:152 Resp: 90706
Ion Ratio Lower Upper
152 100
115 60.0 30.0 90.0
150 158.0 0.0 344.6

