

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY011024\
 Data File : VY016977.D
 Acq On : 10 Jan 2024 16:47
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 11 00:14:44 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y010224S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jan 02 14:25:32 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	79	0.00
2 T	Dichlorodifluoromethane	0.403	0.310	23.1	63	0.00
3 P	Chloromethane	0.587	0.585	0.3	77	0.00
4 C	Vinyl Chloride	0.693	0.697	-0.6#	76	0.00
5 T	Bromomethane	0.496	0.533	-7.5	87	0.00
6 T	Chloroethane	0.469	0.495	-5.5	81	0.00
7 T	Trichlorofluoromethane	0.854	0.817	4.3	73	0.00
8 T	Diethyl Ether	0.273	0.293	-7.3	80	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.555	0.522	5.9	73	0.00
10 T	Methyl Iodide	0.472	0.475	-0.6	71	0.00
11 T	Tert butyl alcohol	0.048	0.040	16.7	84	0.00
12 CM	1,1-Dichloroethene	0.476	0.465	2.3#	74	0.00
13 T	Acrolein	0.060	0.046	23.3	69	0.00
14 T	Allyl chloride	0.753	0.804	-6.8	79	0.00
15 T	Acrylonitrile	0.128	0.145	-13.3	86	0.00
16 T	Acetone	0.149	0.122	18.1	77	0.00
17 T	Carbon Disulfide	1.138	1.026	9.8	65	0.00
18 T	Methyl Acetate	0.529	0.696	-31.6#	89	0.00
19 T	Methyl tert-butyl Ether	1.239	1.435	-15.8	85	0.00
20 T	Methylene Chloride	0.817	0.641	21.5	76	0.00
21 T	trans-1,2-Dichloroethene	0.545	0.560	-2.8	77	0.00
22 T	Diisopropyl ether	1.741	2.021	-16.1	84	0.00
23 T	Vinyl Acetate	0.798	0.869	-8.9	82	0.00
24 P	1,1-Dichloroethane	1.046	1.142	-9.2	82	0.00
25 T	2-Butanone	0.188	0.185	1.6	83	0.00
26 T	2,2-Dichloropropane	0.907	0.923	-1.8	77	0.00
27 T	cis-1,2-Dichloroethene	0.639	0.715	-11.9	83	0.00
28 T	Bromochloromethane	0.393	0.441	-12.2	77	0.00
29 T	Tetrahydrofuran	0.100	0.117	-17.0	87	0.00
30 C	Chloroform	1.078	1.206	-11.9#	85	0.00
31 T	Cyclohexane	0.848	0.779	8.1	70	0.00
32 T	1,1,1-Trichloroethane	0.914	0.960	-5.0	79	0.00
33 S	1,2-Dichloroethane-d4	0.494	0.477	3.4	75	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	84	0.00
35 S	Dibromofluoromethane	0.319	0.295	7.5	75	0.00
36 T	1,1-Dichloropropene	0.464	0.458	1.3	77	0.00
37 T	Ethyl Acetate	0.211	0.225	-6.6	84	0.00
38 T	Carbon Tetrachloride	0.472	0.465	1.5	77	0.00
39 T	Methylcyclohexane	0.522	0.487	6.7	70	0.00
40 TM	Benzene	1.393	1.449	-4.0	81	0.00
41 T	Methacrylonitrile	0.111	0.134	-20.7	104	0.00
42 TM	1,2-Dichloroethane	0.370	0.401	-8.4	86	0.00
43 T	Isopropyl Acetate	0.404	0.438	-8.4	86	0.00
44 TM	Trichloroethene	0.354	0.359	-1.4	79	0.00
45 C	1,2-Dichloropropane	0.359	0.390	-8.6#	85	0.00
46 T	Dibromomethane	0.183	0.199	-8.7	85	0.00
47 T	Bromodichloromethane	0.491	0.537	-9.4	87	0.00
48 T	Methyl methacrylate	0.218	0.239	-9.6	83	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY011024\
 Data File : VY016977.D
 Acq On : 10 Jan 2024 16:47
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 11 00:14:44 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y010224S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jan 02 14:25:32 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.002	0.002	0.0	94	0.00
50 S	Toluene-d8	1.097	1.021	6.9	72	0.00
51 T	4-Methyl-2-Pentanone	0.215	0.244	-13.5	86	0.00
52 CM	Toluene	0.841	0.891	-5.9#	82	0.00
53 T	t-1,3-Dichloropropene	0.440	0.478	-8.6	83	0.00
54 T	cis-1,3-Dichloropropene	0.529	0.575	-8.7	84	0.00
55 T	1,1,2-Trichloroethane	0.267	0.291	-9.0	86	0.00
56 T	Ethyl methacrylate	0.226	0.267	-18.1	89	0.00
57 T	1,3-Dichloropropane	0.446	0.487	-9.2	86	0.00
58 T	2-Chloroethyl Vinyl ether	0.129	0.160	-24.0	91	0.00
59 T	2-Hexanone	0.158	0.165	-4.4	84	0.00
60 T	Dibromochloromethane	0.308	0.342	-11.0	86	0.00
61 T	1,2-Dibromoethane	0.232	0.255	-9.9	85	0.00
62 S	4-Bromofluorobenzene	0.370	0.344	7.0	75	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	86	0.00
64 T	Tetrachloroethene	0.324	0.321	0.9	80	0.00
65 PM	Chlorobenzene	1.042	1.094	-5.0	85	0.00
66 T	1,1,1,2-Tetrachloroethane	0.396	0.428	-8.1	86	0.00
67 C	Ethyl Benzene	1.875	1.981	-5.7#	82	0.00
68 T	m/p-Xylenes	0.688	0.740	-7.6	83	0.00
69 T	o-Xylene	0.645	0.705	-9.3	84	0.00
70 T	Styrene	0.939	1.054	-12.2	84	0.00
71 P	Bromoform	0.195	0.214	-9.7	87	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	89	0.00
73 T	Isopropylbenzene	4.083	4.165	-2.0	82	0.00
74 T	N-amyl acetate	0.820	0.886	-8.0	88	0.00
75 P	1,1,2,2-Tetrachloroethane	0.832	0.855	-2.8	89	0.00
76 T	1,2,3-Trichloropropane	0.543	0.623	-14.7	87	0.00
77 T	Bromobenzene	0.899	0.905	-0.7	85	0.00
78 T	n-propylbenzene	4.964	5.007	-0.9	82	0.00
79 T	2-Chlorotoluene	2.753	2.822	-2.5	85	0.00
80 T	1,3,5-Trimethylbenzene	3.229	3.366	-4.2	84	0.00
81 T	trans-1,4-Dichloro-2-butene	0.239	0.240	-0.4	86	0.00
82 T	4-Chlorotoluene	2.812	2.905	-3.3	86	0.00
83 T	tert-Butylbenzene	2.844	2.917	-2.6	84	0.00
84 T	1,2,4-Trimethylbenzene	3.180	3.375	-6.1	86	0.00
85 T	sec-Butylbenzene	4.214	4.278	-1.5	82	0.00
86 T	p-Isopropyltoluene	3.478	3.594	-3.3	82	0.00
87 T	1,3-Dichlorobenzene	1.763	1.795	-1.8	85	0.00
88 T	1,4-Dichlorobenzene	1.724	1.762	-2.2	87	0.00
89 T	n-Butylbenzene	3.344	3.409	-1.9	82	0.00
90 T	Hexachloroethane	0.747	0.741	0.8	83	0.00
91 T	1,2-Dichlorobenzene	1.524	1.583	-3.9	87	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.104	0.110	-5.8	95	0.00
93 T	1,2,4-Trichlorobenzene	0.757	0.819	-8.2	86	0.00
94 T	Hexachlorobutadiene	0.474	0.465	1.9	82	0.00
95 T	Naphthalene	1.345	1.575	-17.1	91	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY011024\
Data File : VY016977.D
Acq On : 10 Jan 2024 16:47
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Jan 11 00:14:44 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y010224S.M
Quant Title : SW846 8260
QLast Update : Tue Jan 02 14:25:32 2024
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.642	0.710	-10.6	89	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6