

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY011224\
 Data File : VY016991.D
 Acq On : 12 Jan 2024 14:34
 Operator : SY/MD
 Sample : P1123-04
 Misc : 5.09g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 BASIN-4-RAMP-T

Quant Time: Jan 13 00:05:52 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y010224S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jan 02 14:25:32 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.807	168	116671	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.703	114	250409	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.502	117	237451	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.434	152	87159	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.155	65	54586	47.337	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	94.680%
35) Dibromofluoromethane	7.734	113	58891	36.906	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	73.820%
50) Toluene-d8	10.191	98	216972	39.487	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	78.980%
62) 4-Bromofluorobenzene	12.489	95	68893	37.161	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	74.320%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY011224\
Data File : VY016991.D
Acq On : 12 Jan 2024 14:34
Operator : SY/MD
Sample : P1123-04
Misc : 5.09g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
BASIN-4-RAMP-T

Quant Time: Jan 13 00:05:52 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y010224S.M
Quant Title : SW846 8260
QLast Update : Tue Jan 02 14:25:32 2024
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.807 min Scan# 981
Delta R.T. 0.006 min
Lab File: VY016991.D
Acq: 12 Jan 2024 14:34




Instrument :
MSVOA_Y
ClientSampleId :
BASIN-4-RAMP-T

Tgt Ion:168 Resp: 116671
Ion Ratio Lower Upper
168 100
99 56.1 44.2 66.4



#33
1,2-Dichloroethane-d4
Concen: 47.337 ug/l
RT: 8.155 min Scan# 1039
Delta R.T. -0.000 min
Lab File: VY016991.D
Acq: 12 Jan 2024 14:34

Tgt Ion: 65 Resp: 54586
Ion Ratio Lower Upper
65 100
67 54.5 0.0 109.0





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.703 min Scan# 1128

Delta R.T. 0.000 min

Lab File: VY016991.D

Acq: 12 Jan 2024 14:34

Instrument :

MSVOA_Y

ClientSampleId :

BASIN-4-RAMP-T





Tgt Ion:114 Resp: 250409

Ion Ratio Lower Upper

114 100

63 19.9 0.0 37.4

88 13.6 0.0 29.0



#35

Dibromofluoromethane

Concen: 36.906 ug/l

RT: 7.734 min Scan# 970

Delta R.T. 0.006 min

Lab File: VY016991.D

Acq: 12 Jan 2024 14:34




Tgt Ion:113 Resp: 58891


Ion Ratio Lower Upper

113 100

111 102.8 83.8 125.6

192 17.8 14.5 21.7





#50

Toluene-d8

Concen: 39.487 ug/l

RT: 10.191 min Scan# 1

Delta R.T. -0.000 min

Lab File: VY016991.D

Acq: 12 Jan 2024 14:34

Instrument :

MSVOA_Y

ClientSampleId :





BASIN-4-RAMP-T

Tgt Ion: 98 Resp: 216972

Ion Ratio Lower Upper

98 100

100 65.4 52.3 78.5



#62

4-Bromofluorobenzene

Concen: 37.161 ug/l

RT: 12.489 min Scan# 1750

Delta R.T. 0.000 min

Lab File: VY016991.D

Acq: 12 Jan 2024 14:34




Tgt Ion: 95 Resp: 68893


Ion Ratio Lower Upper

95 100

174 80.2 0.0 160.0

176 77.1 0.0 151.8









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.502 min Scan# 11
Delta R.T. -0.000 min
Lab File: VY016991.D
Acq: 12 Jan 2024 14:34

Instrument :
MSVOA_Y
ClientSampleId :
BASIN-4-RAMP-T

Tgt Ion:117 Resp: 237451
Ion Ratio Lower Upper
117 100
82 53.8 43.8 65.8
119 31.2 26.5 39.7



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.434 min Scan# 1905
Delta R.T. 0.000 min
Lab File: VY016991.D
Acq: 12 Jan 2024 14:34

Tgt Ion:152 Resp: 87159
Ion Ratio Lower Upper
152 100
115 60.8 30.0 90.0
150 161.6 0.0 344.6

