

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY011420\
 Data File : VY001191.D
 Acq On : 14 Jan 2020 10:05
 Operator : SY/MD
 Sample : VY0114SBL01
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0114SBL01

Quant Time: Jan 15 01:33:10 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y011020S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jan 10 16:01:58 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	187259	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.69	114	342577	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.49	117	310622	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.42	152	141677	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.15	65	108711	54.97	ug/l	0.00
Spiked Amount	50.000		Recovery	=	109.94%	
35) Dibromofluoromethane	7.73	113	102882	51.29	ug/l	0.00
Spiked Amount	50.000		Recovery	=	102.58%	
50) Toluene-d8	10.18	98	405709	52.49	ug/l	0.00
Spiked Amount	50.000		Recovery	=	104.98%	
62) 4-Bromofluorobenzene	12.48	95	149027	47.17	ug/l	0.00
Spiked Amount	50.000		Recovery	=	94.34%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY011420\
Data File : VY001191.D
Acq On : 14 Jan 2020 10:05
Operator : SY/MD
Sample : VY0114SBL01
Misc : 5.00G/5ML/MSVOA Y/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0114SBL01

Quant Time: Jan 15 01:33:10 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y011020S.M
Quant Title : SW846 8260
QLast Update : Fri Jan 10 16:01:58 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 995

Delta R.T. 0.01 min

Lab File: VY001191.D

Acq: 14 Jan 2020 10:05

Instrument :

MSVOA_Y

ClientSampleId :


VY0114SBL01

Tot Ion:168 Resp: 187259

Ion Ratio Lower Upper




168 100

99 53.2 47.9 71.9



Abundance Ion 167.90 (167.60 to 168.60): VY001148.D (-983) (-)

Ion 98.90 (98.60 to 99.60): VY001148.D (-983) (-)



#33

1,2-Dichloroethane-d4

Concen: 54.966 ug/l

RT: 8.15 min Scan# 1052

Delta R.T. 0.00 min

Lab File: VY001191.D


Acq: 14 Jan 2020 10:05

Tgt Ion: 65 Resp: 108711

Ion Ratio Lower Upper



65 100


67 53.7 0.0 105.2



Abundance Ion 64.90 (64.60 to 65.60): VY001148.D (-1041) (-)

Ion 66.90 (66.60 to 67.60): VY001148.D (-1041) (-)









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.69 min Scan# 1141
 Delta R.T. 0.00 min
 Lab File: VY001191.D
 Acq: 14 Jan 2020 10:05

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0114SBL01

Tot Ion:114 Resp: 342577
 Ion Ratio Lower Upper
 114 100
 63 19.8 0.0 40.8
 88 15.5 0.0 32.4




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VY0
 Ion 87.90 (87.60 to 88.60): VY0






#35
 Dibromofluoromethane
 Concen: 51.293 ug/l
 RT: 7.73 min Scan# 983
 Delta R.T. 0.01 min
 Lab File: VY001191.D
 Acq: 14 Jan 2020 10:05

Tgt Ion:113 Resp: 102882
 Ion Ratio Lower Upper
 113 100
 111 102.8 82.9 124.3
 192 19.5 15.4 23.2



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 52.495 ug/l

RT: 10.18 min Scan# 1385

Delta R.T. 0.00 min

Lab File: VY001191.D

Acq: 14 Jan 2020 10:05

Instrument :

MSVOA_Y

ClientSampleId :


VY0114SBL01

Tot Ion: 98 Resp: 405709

Ion Ratio Lower Upper




98 100

100 66.1 53.1 79.7



Abundance Ion 98.00 (97.70 to 98.70): VY0

Ion 100.00 (99.70 to 100.70): VY



#62

4-Bromofluorobenzene

Concen: 47.165 ug/l

RT: 12.48 min Scan# 1762

Delta R.T. 0.00 min

Lab File: VY001191.D

Acq: 14 Jan 2020 10:05


Tgt Ion: 95 Resp: 149027

Ion Ratio Lower Upper

95 100

174 75.5 0.0 143.2



176 73.3 0.0 136.0




Abundance Ion 94.90 (94.60 to 95.60): VY0

Ion 173.80 (173.50 to 174.50): V

Ion 175.80 (175.50 to 176.50): V









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.49 min Scan# 1600
Delta R.T. 0.01 min
Lab File: VY001191.D
Acq: 14 Jan 2020 10:05

Instrument :
MSVOA_Y
ClientSampleId :
VY0114SBL01

Tot Ion:117 Resp: 310622
Ion Ratio Lower Upper
117 100
82 54.6 44.9 67.3
119 32.8 25.7 38.5




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VY0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.42 min Scan# 1917
Delta R.T. 0.00 min
Lab File: VY001191.D
Acq: 14 Jan 2020 10:05

Tgt Ion:152 Resp: 141677
Ion Ratio Lower Upper
152 100
115 59.8 30.9 92.5
150 158.1 0.0 346.8



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

