

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\VY011520\
 Data File : VY001208.D
 Acq On : 15 Jan 2020 11:19
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 16 05:03:27 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y011020S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jan 10 16:01:58 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	85	0.00
2 T	Dichlorodifluoromethane	0.384	0.387	-0.8	88	0.00
3 P	Chloromethane	0.553	0.548	0.9	90	0.00
4 C	Vinyl Chloride	0.558	0.597	-7.0#	92	0.00
5 T	Bromomethane	0.300	0.395	-31.7#	110	0.00
6 T	Chloroethane	0.322	0.384	-19.3	103	0.00
7 T	Trichlorofluoromethane	0.776	0.740	4.6	85	0.00
8 T	Diethyl Ether	0.302	0.292	3.3	84	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.500	0.484	3.2	85	0.00
10 T	Methyl Iodide	0.684	0.694	-1.5	88	0.00
11 T	Tert butyl alcohol	0.053	0.047	11.3	85	0.00
12 CM	1,1-Dichloroethene	0.511	0.506	1.0#	87	0.00
13 T	Acrolein	0.048	0.041	14.6	77	0.00
14 T	Allyl chloride	0.863	0.862	0.1	88	0.00
15 T	Acrylonitrile	0.151	0.143	5.3	85	0.00
16 T	Acetone	0.123	0.136	-10.6	102	0.00
17 T	Carbon Disulfide	1.654	1.660	-0.4	87	0.00
18 T	Methyl Acetate	0.405	0.360	11.1	82	0.00
19 T	Methyl tert-butyl Ether	1.414	1.357	4.0	84	0.00
20 T	Methylene Chloride	0.683	0.583	14.6	89	0.00
21 T	trans-1,2-Dichloroethene	0.580	0.587	-1.2	88	0.00
22 T	Diisopropyl ether	1.762	1.765	-0.2	87	0.00
23 T	Vinyl Acetate	1.127	1.126	0.1	86	0.00
24 P	1,1-Dichloroethane	0.965	0.985	-2.1	89	0.00
25 T	2-Butanone	0.191	0.192	-0.5	89	0.00
26 T	2,2-Dichloropropane	0.887	0.873	1.6	88	0.00
27 T	cis-1,2-Dichloroethene	0.635	0.656	-3.3	89	0.00
28 T	Bromochloromethane	0.396	0.432	-9.1	87	0.00
29 T	Tetrahydrofuran	0.131	0.121	7.6	82	0.00
30 C	Chloroform	0.945	0.961	-1.7#	88	0.00
31 T	Cyclohexane	1.021	0.959	6.1	85	0.00
32 T	1,1,1-Trichloroethane	0.839	0.825	1.7	85	0.00
33 S	1,2-Dichloroethane-d4	0.528	0.493	6.6	78	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	86	0.00
35 S	Dibromofluoromethane	0.293	0.269	8.2	81	0.00
36 T	1,1-Dichloropropene	0.456	0.447	2.0	86	0.00
37 T	Ethyl Acetate	0.267	0.233	12.7	79	0.00
38 T	Carbon Tetrachloride	0.418	0.406	2.9	85	0.00
39 T	Methylcyclohexane	0.618	0.585	5.3	84	0.00
40 TM	Benzene	1.330	1.355	-1.9	90	0.00
41 T	Methacrylonitrile	0.126	0.142	-12.7	100	0.00
42 TM	1,2-Dichloroethane	0.372	0.361	3.0	85	0.00
43 T	Isopropyl Acetate	0.511	0.472	7.6	82	0.00
44 TM	Trichloroethene	0.347	0.349	-0.6	87	0.00
45 C	1,2-Dichloropropane	0.329	0.335	-1.8#	90	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\VY011520\
 Data File : VY001208.D
 Acq On : 15 Jan 2020 11:19
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 16 05:03:27 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y011020S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jan 10 16:01:58 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.179	0.175	2.2	85	0.00
47 T	Bromodichloromethane	0.437	0.429	1.8	87	0.00
48 T	Methyl methacrylate	0.237	0.218	8.0	81	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	87	0.00
50 S	Toluene-d8	1.128	1.098	2.7	80	0.00
51 T	4-Methyl-2-Pentanone	0.259	0.235	9.3	81	0.00
52 CM	Toluene	0.848	0.851	-0.4#	88	0.00
53 T	t-1,3-Dichloropropene	0.489	0.475	2.9	85	0.00
54 T	cis-1,3-Dichloropropene	0.552	0.553	-0.2	88	0.00
55 T	1,1,2-Trichloroethane	0.266	0.257	3.4	85	0.00
56 T	Ethyl methacrylate	0.407	0.380	6.6	82	0.00
57 T	1,3-Dichloropropane	0.457	0.446	2.4	85	0.00
58 T	2-Chloroethyl Vinyl ether	0.143	0.117	18.2	79	0.00
59 T	2-Hexanone	0.182	0.171	6.0	82	0.00
60 T	Dibromochloromethane	0.306	0.301	1.6	85	0.00
61 T	1,2-Dibromoethane	0.260	0.241	7.3	82	0.00
62 S	4-Bromofluorobenzene	0.461	0.418	9.3	79	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	87	0.00
64 T	Tetrachloroethene	0.322	0.315	2.2	86	0.00
65 PM	Chlorobenzene	0.999	1.006	-0.7	89	0.00
66 T	1,1,1,2-Tetrachloroethane	0.344	0.348	-1.2	88	0.00
67 C	Ethyl Benzene	1.828	1.843	-0.8#	89	0.00
68 T	m/p-Xylenes	0.689	0.708	-2.8	89	0.00
69 T	o-Xylene	0.661	0.674	-2.0	90	0.00
70 T	Styrene	1.160	1.185	-2.2	89	0.00
71 P	Bromoform	0.212	0.199	6.1	81	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	89	0.00
73 T	Isopropylbenzene	3.759	3.722	1.0	89	0.00
74 T	N-amyl acetate	1.173	1.094	6.7	83	0.00
75 P	1,1,2,2-Tetrachloroethane	0.791	0.739	6.6	85	0.00
76 T	1,2,3-Trichloropropane	0.535	0.479	10.5	85	0.00
77 T	Bromobenzene	0.831	0.818	1.6	88	0.00
78 T	n-propylbenzene	4.521	4.532	-0.2	89	0.00
79 T	2-Chlorotoluene	2.597	2.555	1.6	88	0.00
80 T	1,3,5-Trimethylbenzene	3.136	3.167	-1.0	89	0.00
81 T	trans-1,4-Dichloro-2-butene	0.316	0.288	8.9	82	0.00
82 T	4-Chlorotoluene	2.772	2.776	-0.1	89	0.00
83 T	tert-Butylbenzene	2.635	2.626	0.3	89	0.00
84 T	1,2,4-Trimethylbenzene	3.115	3.167	-1.7	90	0.00
85 T	sec-Butylbenzene	3.791	3.828	-1.0	90	0.00
86 T	p-Isopropyltoluene	3.292	3.412	-3.6	92	0.00
87 T	1,3-Dichlorobenzene	1.571	1.590	-1.2	91	0.00
88 T	1,4-Dichlorobenzene	1.617	1.623	-0.4	91	0.00
89 T	n-Butylbenzene	3.315	3.368	-1.6	89	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\VY011520\
Data File : VY001208.D
Acq On : 15 Jan 2020 11:19
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA Y/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Jan 16 05:03:27 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y011020S.M
Quant Title : SW846 8260
QLast Update : Fri Jan 10 16:01:58 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.643	0.646	-0.5	89	0.00
91 T	1,2-Dichlorobenzene	1.460	1.484	-1.6	91	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.143	0.121	15.4	77	0.00
93 T	1,2,4-Trichlorobenzene	0.962	0.961	0.1	90	0.00
94 T	Hexachlorobutadiene	0.485	0.479	1.2	88	0.00
95 T	Naphthalene	2.239	2.073	7.4	83	0.00
96 T	1,2,3-Trichlorobenzene	0.848	0.837	1.3	90	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6