

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY011520\
 Data File : VY001227.D
 Acq On : 15 Jan 2020 18:37
 Operator : SY/MD
 Sample : L1127-05
 Misc : 6.33G/5ML/MSVOA Y/SOIL
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 QVD-SB-03-1.5-2

Quant Time: Jan 16 06:16:45 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y011020S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jan 10 16:01:58 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	162291	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.69	114	290136	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.49	117	242664	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.42	152	84569	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.15	65	89132	52.00	ug/l	0.00
Spiked Amount	50.000		Recovery	=	104.00%	
35) Dibromofluoromethane	7.73	113	84815	49.93	ug/l	0.00
Spiked Amount	50.000		Recovery	=	99.86%	
50) Toluene-d8	10.18	98	335032	51.19	ug/l	0.00
Spiked Amount	50.000		Recovery	=	102.38%	
62) 4-Bromofluorobenzene	12.48	95	101906	38.08	ug/l	0.00
Spiked Amount	50.000		Recovery	=	76.16%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY011520\
Data File : VY001227.D
Acq On : 15 Jan 2020 18:37
Operator : SY/MD
Sample : L1127-05
Misc : 6.33G/5ML/MSVOA Y/SOIL
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
QVD-SB-03-1.5-2

Quant Time: Jan 16 06:16:45 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y011020S.M
Quant Title : SW846 8260
QLast Update : Fri Jan 10 16:01:58 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 995

Delta R.T. 0.01 min

Lab File: VY001227.D

Acq: 15 Jan 2020 18:37

Instrument :

MSVOA_Y

ClientSampleId :


QVD-SB-03-1.5-2

Tot Ion:168 Resp: 162291

Ion Ratio Lower Upper

168 100

99 55.1 47.9 71.9



Abundance Ion 167.90 (167.60 to 168.60): VY001148.D (-983) (-)

Ion 98.90 (98.60 to 99.60): VY001148.D (-983) (-)

7.80

80000

60000



40000

20000

0

Time-->

7.70 7.80 7.90



#33

1,2-Dichloroethane-d4

Concen: 52.000 ug/l

RT: 8.15 min Scan# 1052

Delta R.T. -0.00 min

Lab File: VY001227.D


Acq: 15 Jan 2020 18:37

Tgt Ion: 65 Resp: 89132

Ion Ratio Lower Upper

65 100

67 54.6 0.0 105.2



Abundance Ion 64.90 (64.60 to 65.60): VY001148.D (-1041) (-)

Ion 66.90 (66.60 to 67.60): VY001148.D (-1041) (-)

8.15

50000

40000

30000


20000


10000

0

Time-->

8.10 8.20





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.69 min Scan# 1141

Delta R.T. -0.00 min

Lab File: VY001227.D

Acq: 15 Jan 2020 18:37

Instrument :

MSVOA_Y

ClientSampleId :

QVD-SB-03-1.5-2


Tot Ion:114 Resp: 290136

Ion Ratio Lower Upper

114 100

63 19.7 0.0 40.8




88 15.9 0.0 32.4



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VY0

Ion 87.90 (87.60 to 88.60): VY0



#35

Dibromofluoromethane

Concen: 49.928 ug/l

RT: 7.73 min Scan# 983

Delta R.T. 0.01 min

Lab File: VY001227.D

Acq: 15 Jan 2020 18:37


Tgt Ion:113 Resp: 84815

Ion Ratio Lower Upper

113 100

111 103.8 82.9 124.3



192 20.2 15.4 23.2




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 51.185 ug/l

RT: 10.18 min Scan# 1385

Delta R.T. -0.00 min

Lab File: VY001227.D

Acq: 15 Jan 2020 18:37

Instrument :

MSVOA_Y

ClientSampleId :


QVD-SB-03-1.5-2

Tot Ion: 98 Resp: 335032

Ion Ratio Lower Upper

98 100

100 66.8 53.1 79.7



Abundance Ion 98.00 (97.70 to 98.70): VY001148.D (-1375) (-)

Ion 100.00 (99.70 to 100.70): VY001148.D (-1375) (-)

10.18

200000



150000

100000

50000

0

Time-->



#62

4-Bromofluorobenzene

Concen: 38.081 ug/l

RT: 12.48 min Scan# 1762

Delta R.T. -0.00 min

Lab File: VY001227.D

Acq: 15 Jan 2020 18:37


Tgt Ion: 95 Resp: 101906

Ion Ratio Lower Upper

95 100

174 76.9 0.0 143.2

176 73.8 0.0 136.0



Abundance Ion 94.90 (94.60 to 95.60): VY001148.D (-1752) (-)

Ion 173.80 (173.50 to 174.50): VY001148.D (-1752) (-)

Ion 175.80 (175.50 to 176.50): VY001148.D (-1752) (-)

12.48

80000


60000


40000

20000

0

Time-->









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.49 min Scan# 1600
Delta R.T. 0.01 min
Lab File: VY001227.D
Acq: 15 Jan 2020 18:37

Instrument :
MSVOA_Y
ClientSampleId :
QVD-SB-03-1.5-2

Tot Ion:117 Resp: 242664
Ion Ratio Lower Upper
117 100
82 54.9 44.9 67.3
119 32.1 25.7 38.5




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VY0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.42 min Scan# 1917
Delta R.T. -0.00 min
Lab File: VY001227.D
Acq: 15 Jan 2020 18:37

Tgt Ion:152 Resp: 84569
Ion Ratio Lower Upper
152 100
115 58.8 30.9 92.5
150 155.5 0.0 346.8



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

