

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY011725\
 Data File : VY020851.D
 Acq On : 17 Jan 2025 13:36
 Operator : SY/MD
 Sample : Q1115-03
 Misc : 3.96g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 366-VOC

Quant Time: Jan 17 23:25:10 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y010625S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jan 07 01:31:46 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	3798	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	5548	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	3068	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.352	152	375	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	2081	64.464	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	128.920%
35) Dibromofluoromethane	7.634	113	1984	57.081	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	114.160%
50) Toluene-d8	10.109	98	5547	45.780	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	91.560%
62) 4-Bromofluorobenzene	12.420	95	489	10.929	ug/l	0.01
Spiked Amount	50.000	Range	29 - 146	Recovery	=	21.860%#

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY011725\
Data File : VY020851.D
Acq On : 17 Jan 2025 13:36
Operator : SY/MD
Sample : Q1115-03
Misc : 3.96g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
366-VOC

Quant Time: Jan 17 23:25:10 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y010625S.M
Quant Title : SW846 8260
QLast Update : Tue Jan 07 01:31:46 2025
Response via : Initial Calibration

