

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY011725\
 Data File : VY020860.D
 Acq On : 17 Jan 2025 17:07
 Operator : SY/MD
 Sample : Q1132-01
 Misc : 5.05g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 HD-1-011725

Quant Time: Jan 17 23:28:38 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y010625S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jan 07 01:31:46 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	2139	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.622	114	3828	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	2179	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.359	152	397	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	1673	92.020	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	184.040%#
35) Dibromofluoromethane	7.622	113	1493	62.255	ug/l	-0.02
Spiked Amount	50.000	Range	54 - 147	Recovery	=	124.500%
50) Toluene-d8	10.109	98	3951	47.260	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	94.520%
62) 4-Bromofluorobenzene	12.414	95	412	13.345	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	26.700%#
Target Compounds						
52) Toluene	10.164	92	391	6.289	ug/l	Qvalue 94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY011725\
Data File : VY020860.D
Acq On : 17 Jan 2025 17:07
Operator : SY/MD
Sample : Q1132-01
Misc : 5.05g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
HD-1-011725

Quant Time: Jan 17 23:28:38 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y010625S.M
Quant Title : SW846 8260
QLast Update : Tue Jan 07 01:31:46 2025
Response via : Initial Calibration

