

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY011725\
 Data File : VY020865.D
 Acq On : 17 Jan 2025 19:04
 Operator : SY/MD
 Sample : Q1123-02
 Misc : 4.98g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 BU-03-1172025

Quant Time: Jan 17 23:30:30 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y010625S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jan 07 01:31:46 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.719	168	2859	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	4141	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	2590	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	387	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	1760	72.426	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	144.860%
35) Dibromofluoromethane	7.640	113	1546	59.592	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	119.180%
50) Toluene-d8	10.115	98	4340	47.989	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	95.980%
62) 4-Bromofluorobenzene	12.414	95	417	12.486	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	24.980%#

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY011725\
Data File : VY020865.D
Acq On : 17 Jan 2025 19:04
Operator : SY/MD
Sample : Q1123-02
Misc : 4.98g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
BU-03-1172025

Quant Time: Jan 17 23:30:30 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y010625S.M
Quant Title : SW846 8260
QLast Update : Tue Jan 07 01:31:46 2025
Response via : Initial Calibration

