

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY012020\
 Data File : VY001303.D
 Acq On : 20 Jan 2020 18:07
 Operator : SY/MD
 Sample : L1164-05
 Misc : 6.79G/5ML/MSVOA Y/SOIL
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 QVD-SB-03-10-11

Quant Time: Jan 21 07:45:02 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y011020S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jan 21 06:54:04 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.82	168	187140	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.71	114	342941	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.50	117	314411	50.00	ug/l	-0.01
72) 1,4-Dichlorobenzene-d4	13.43	152	146244	50.00	ug/l	-0.01
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.17	65	110262	55.79	ug/l	0.00
Spiked Amount 50.000			Recovery	=	111.58%	
35) Dibromofluoromethane	7.75	113	103276	51.43	ug/l	0.00
Spiked Amount 50.000			Recovery	=	102.86%	
50) Toluene-d8	10.19	98	410104	53.01	ug/l	0.00
Spiked Amount 50.000			Recovery	=	106.02%	
62) 4-Bromofluorobenzene	12.49	95	149357	47.22	ug/l	-0.01
Spiked Amount 50.000			Recovery	=	94.44%	
Target Compounds						
16) Acetone	3.99	43	10978	23.916	ug/l	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY012020\
Data File : VY001303.D
Acq On : 20 Jan 2020 18:07
Operator : SY/MD
Sample : L1164-05
Misc : 6.79G/5ML/MSVOA Y/SOIL
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
QVD-SB-03-10-11

Quant Time: Jan 21 07:45:02 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y011020S.M
Quant Title : SW846 8260
QLast Update : Tue Jan 21 06:54:04 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.82 min Scan# 998

Delta R.T. 0.00 min

Lab File: VY001303.D

Acq: 20 Jan 2020 18:07

Instrument :

MSVOA_Y

ClientSampleId :


QVD-SB-03-10-11

Tot Ion:168 Resp: 187140

Ion Ratio Lower Upper

168 100

99 57.1 47.9 71.9






Abundance Ion 167.90 (167.60 to 168.60): VY001290.D (-987) (-)

Ion 98.90 (98.60 to 99.60): VY001290.D (-987) (-)

7.82

Time-->



#16

Acetone

Concen: 23.916 ug/l

RT: 3.99 min Scan# 369

Delta R.T. 0.01 min

Lab File: VY001303.D


Acq: 20 Jan 2020 18:07

Tgt Ion: 43 Resp: 10978

Ion Ratio Lower Upper

43 100

58 31.9 25.8 38.6






Abundance Ion 43.00 (42.70 to 43.70): VY001290.D (-350) (-)

Ion 58.00 (57.70 to 58.70): VY001290.D (-350) (-)

3.99

Time-->









#33
 1,2-Dichloroethane-d4
 Concen: 55.786 ug/l
 RT: 8.17 min Scan# 1055
 Delta R.T. -0.01 min
 Lab File: VY001303.D
 Acq: 20 Jan 2020 18:07




Instrument :
 MSVOA_Y
 ClientSampleId :
 QVD-SB-03-10-11


Tot Ion: 65 Resp: 110262
 Ion Ratio Lower Upper
 65 100
 67 53.1 0.0 105.2



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.71 min Scan# 1144
 Delta R.T. -0.01 min
 Lab File: VY001303.D
 Acq: 20 Jan 2020 18:07

Tgt Ion: 114 Resp: 342941
 Ion Ratio Lower Upper
 114 100
 63 20.2 0.0 40.8
 88 16.5 0.0 32.4









#35
 Dibromofluoromethane
 Concen: 51.434 ug/l
 RT: 7.75 min Scan# 986
 Delta R.T. -0.01 min
 Lab File: VY001303.D
 Acq: 20 Jan 2020 18:07

Instrument :
 MSVOA_Y
 ClientSampleId :
 QVD-SB-03-10-11

Tot Ion	Ratio	Lower	Upper
113	100		
111	100.6	82.9	124.3
192	18.6	15.4	23.2




Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V






#50
 Toluene-d8
 Concen: 53.007 ug/l
 RT: 10.19 min Scan# 1387
 Delta R.T. -0.01 min
 Lab File: VY001303.D
 Acq: 20 Jan 2020 18:07

Tgt Ion	Ratio	Lower	Upper
98	100		
100	65.5	53.1	79.7



Abundance Ion 98.00 (97.70 to 98.70): VY0
 Ion 100.00 (99.70 to 100.70): VY









#62
4-Bromofluorobenzene
Concen: 47.219 ug/l
RT: 12.49 min Scan# 1763
Delta R.T. -0.01 min
Lab File: VY001303.D
Acq: 20 Jan 2020 18:07




Instrument :
MSVOA_Y
ClientSampleId :
QVD-SB-03-10-11




Tot Ion: 95 Resp: 149357
Ion Ratio Lower Upper
95 100
174 75.2 0.0 143.2
176 72.8 0.0 136.0



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.50 min Scan# 1601
Delta R.T. -0.01 min
Lab File: VY001303.D
Acq: 20 Jan 2020 18:07

Tgt Ion: 117 Resp: 314411
Ion Ratio Lower Upper
117 100
82 54.4 44.9 67.3
119 32.1 25.7 38.5





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.43 min Scan# 1918

Delta R.T. -0.01 min

Lab File: VY001303.D

Acq: 20 Jan 2020 18:07

Instrument :

MSVOA_Y

ClientSampleId :

QVD-SB-03-10-11

Tot Ion:152 Resp: 146244

Ion Ratio Lower Upper

152 100

115 60.2 30.9 92.5

150 157.4 0.0 346.8

