

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY012224\
 Data File : VY017066.D
 Acq On : 22 Jan 2024 10:52
 Operator : SY/MD
 Sample : VY0122SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0122SBL01

Quant Time: Jan 23 01:42:23 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y010224S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jan 02 14:25:32 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.826	168	105904	50.000	ug/l	0.02
34) 1,4-Difluorobenzene	8.722	114	224095	50.000	ug/l	0.02
63) Chlorobenzene-d5	11.514	117	211238	50.000	ug/l	0.01
72) 1,4-Dichlorobenzene-d4	13.447	152	77944	50.000	ug/l	0.01

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.173	65	47334	45.222	ug/l	0.02
Spiked Amount	50.000	Range	50 - 163	Recovery	=	90.440%
35) Dibromofluoromethane	7.752	113	53046	37.147	ug/l	0.02
Spiked Amount	50.000	Range	54 - 147	Recovery	=	74.300%
50) Toluene-d8	10.209	98	197703	40.205	ug/l	0.02
Spiked Amount	50.000	Range	58 - 134	Recovery	=	80.400%
62) 4-Bromofluorobenzene	12.502	95	60200	36.285	ug/l	0.01
Spiked Amount	50.000	Range	30 - 143	Recovery	=	72.580%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY012224\
Data File : VY017066.D
Acq On : 22 Jan 2024 10:52
Operator : SY/MD
Sample : VY0122SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0122SBL01

Quant Time: Jan 23 01:42:23 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y010224S.M
Quant Title : SW846 8260
QLast Update : Tue Jan 02 14:25:32 2024
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.826 min Scan# 91
Delta R.T. 0.025 min
Lab File: VY017066.D
Acq: 22 Jan 2024 10:52




Instrument :
MSVOA_Y
ClientSampleId :
VY0122SBL01


Tgt Ion:168 Resp: 105904
Ion Ratio Lower Upper
168 100
99 53.9 44.2 66.4



#33
1,2-Dichloroethane-d4
Concen: 45.222 ug/l
RT: 8.173 min Scan# 1042
Delta R.T. 0.018 min
Lab File: VY017066.D
Acq: 22 Jan 2024 10:52

Tgt Ion: 65 Resp: 47334
Ion Ratio Lower Upper
65 100
67 53.6 0.0 109.0





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.722 min Scan# 1128

Delta R.T. 0.019 min

Lab File: VY017066.D

Acq: 22 Jan 2024 10:52

Instrument :

MSVOA_Y

ClientSampleId :

VY0122SBL01





Tgt Ion:114 Resp: 224095

Ion Ratio Lower Upper

114 100

63 19.0 0.0 37.4

88 14.2 0.0 29.0



#35

Dibromofluoromethane

Concen: 37.147 ug/l

RT: 7.752 min Scan# 973

Delta R.T. 0.024 min

Lab File: VY017066.D

Acq: 22 Jan 2024 10:52




Tgt Ion:113 Resp: 53046


Ion Ratio Lower Upper

113 100

111 101.8 83.8 125.6

192 17.1 14.5 21.7





#50

Toluene-d8

Concen: 40.205 ug/l

RT: 10.209 min Scan# 11

Delta R.T. 0.018 min

Lab File: VY017066.D

Acq: 22 Jan 2024 10:52

Instrument :

MSVOA_Y

ClientSampleId :





VY0122SBL01

Tgt Ion: 98 Resp: 197703

Ion Ratio Lower Upper

98 100

100 64.5 52.3 78.5



#62

4-Bromofluorobenzene

Concen: 36.285 ug/l

RT: 12.502 min Scan# 1752

Delta R.T. 0.013 min

Lab File: VY017066.D

Acq: 22 Jan 2024 10:52




Tgt Ion: 95 Resp: 60200


Ion Ratio Lower Upper

95 100

174 80.5 0.0 160.0

176 76.9 0.0 151.8









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.514 min Scan# 11
Delta R.T. 0.012 min
Lab File: VY017066.D
Acq: 22 Jan 2024 10:52

Instrument :
MSVOA_Y
ClientSampleId :
VY0122SBL01

Tgt Ion:117 Resp: 211238
Ion Ratio Lower Upper
117 100
82 56.1 43.8 65.8
119 32.4 26.5 39.7



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.447 min Scan# 1907
Delta R.T. 0.013 min
Lab File: VY017066.D
Acq: 22 Jan 2024 10:52

Tgt Ion:152 Resp: 77944
Ion Ratio Lower Upper
152 100
115 58.6 30.0 90.0
150 158.7 0.0 344.6

