

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY012725\
 Data File : VY020954.D
 Acq On : 27 Jan 2025 17:35
 Operator : SY/MD
 Sample : VIBLK
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VIBLK

Quant Time: Jan 28 01:16:19 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y012425S.M
 Quant Title : SW846 8260
 QLast Update : Sat Jan 25 01:12:18 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	190116	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	325308	50.000	ug/l	-0.01
63) Chlorobenzene-d5	11.420	117	278724	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.353	152	106802	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.067	65	90537	59.729	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	119.460%
35) Dibromofluoromethane	7.640	113	103164	55.241	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	110.480%
50) Toluene-d8	10.109	98	377656	52.135	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	104.260%
62) 4-Bromofluorobenzene	12.408	95	111433	46.222	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	92.440%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY012725\
Data File : VY020954.D
Acq On : 27 Jan 2025 17:35
Operator : SY/MD
Sample : VIBLK
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VIBLK

Quant Time: Jan 28 01:16:19 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y012425S.M
Quant Title : SW846 8260
QLast Update : Sat Jan 25 01:12:18 2025
Response via : Initial Calibration

