

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY013025\
 Data File : VY020985.D
 Acq On : 30 Jan 2025 15:04
 Operator : SY/MD
 Sample : Q1206-01
 Misc : 4.99g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 JPP-20.1-012725

Quant Time: Jan 31 04:41:14 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y013025S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jan 31 02:19:37 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	373692	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.622	114	552163	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.426	117	420163	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.358	152	162403	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.067	65	120334	37.821	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	75.640%
35) Dibromofluoromethane	7.640	113	132917	40.041	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	80.080%
50) Toluene-d8	10.115	98	501230	38.686	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	77.380%
62) 4-Bromofluorobenzene	12.414	95	138642	31.890	ug/l	0.00
Spiked Amount	50.000	Range	29 - 146	Recovery	=	63.780%


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY013025\
Data File : VY020985.D
Acq On : 30 Jan 2025 15:04
Operator : SY/MD
Sample : Q1206-01
Misc : 4.99g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
JPP-20.1-012725

Quant Time: Jan 31 04:41:14 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y013025S.M
Quant Title : SW846 8260
QLast Update : Fri Jan 31 02:19:37 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.713 min Scan# 983
Delta R.T. 0.000 min
Lab File: VY020985.D
Acq: 30 Jan 2025 15:04




Instrument :
MSVOA_Y
ClientSampleId :
JPP-20.1-012725


Tgt Ion:168 Resp: 373692
Ion Ratio Lower Upper
168 100
99 54.7 42.2 63.2



#33
1,2-Dichloroethane-d4
Concen: 37.821 ug/l
RT: 8.067 min Scan# 1041
Delta R.T. 0.000 min
Lab File: VY020985.D
Acq: 30 Jan 2025 15:04

Tgt Ion: 65 Resp: 120334
Ion Ratio Lower Upper
65 100
67 51.9 0.0 104.4









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.622 min Scan# 1132
Delta R.T. 0.000 min
Lab File: VY020985.D
Acq: 30 Jan 2025 15:04




Instrument :
MSVOA_Y
ClientSampleId :
JPP-20.1-012725


Tgt Ion:	114	Resp:	552163
Ion	Ratio	Lower	Upper
114	100		
63	18.4	0.0	37.2
88	15.2	0.0	29.6



#35
Dibromofluoromethane
Concen: 40.041 ug/l
RT: 7.640 min Scan# 971
Delta R.T. 0.000 min
Lab File: VY020985.D
Acq: 30 Jan 2025 15:04

Tgt Ion:	113	Resp:	132917
Ion	Ratio	Lower	Upper
113	100		
111	104.1	82.6	123.8
192	21.9	16.8	25.2





#50

Toluene-d8

Concen: 38.686 ug/l

RT: 10.115 min Scan# 1376

Delta R.T. 0.006 min

Lab File: VY020985.D

Acq: 30 Jan 2025 15:04

Instrument :

MSVOA_Y

ClientSampleId :





JPP-20.1-012725

Tgt Ion: 98 Resp: 501230

Ion Ratio Lower Upper

98 100

100 65.3 52.6 79.0



#62

4-Bromofluorobenzene

Concen: 31.890 ug/l

RT: 12.414 min Scan# 1754

Delta R.T. 0.006 min

Lab File: VY020985.D

Acq: 30 Jan 2025 15:04




Tgt Ion: 95 Resp: 138642


Ion Ratio Lower Upper

95 100

174 89.5 0.0 181.2

176 86.1 0.0 175.2





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.426 min Scan# 15

Delta R.T. 0.006 min

Lab File: VY020985.D

Acq: 30 Jan 2025 15:04

Instrument :

MSVOA_Y

ClientSampleId :

JPP-20.1-012725





Tgt Ion:117 Resp: 420163

Ion Ratio Lower Upper

117 100

82 53.1 44.2 66.2

119 32.9 25.9 38.9



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.358 min Scan# 1909

Delta R.T. 0.006 min

Lab File: VY020985.D

Acq: 30 Jan 2025 15:04

Tgt Ion:152 Resp: 162403

Ion Ratio Lower Upper

152 100

115 57.3 28.4 85.2

150 156.5 0.0 342.8

