

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020222\
 Data File : VY007353.D
 Acq On : 02 Feb 2022 14:08
 Operator : SY/MD
 Sample : VSTDICV050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 ICSVY020222

Quant Time: Feb 03 04:41:18 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020222S.M
 Quant Title : SW846 8260
 QLast Update : Thu Feb 03 04:36:48 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	100	0.00
2 T	Dichlorodifluoromethane	0.585	0.585	0.0	105	0.00
3 P	Chloromethane	0.717	0.675	5.9	104	0.00
4 C	Vinyl Chloride	0.690	0.701	-1.6#	104	0.00
5 T	Bromomethane	0.418	0.480	-14.8	113	0.00
6 T	Chloroethane	0.424	0.435	-2.6	104	0.00
7 T	Trichlorofluoromethane	1.119	1.166	-4.2	105	0.00
8 T	Diethyl Ether	0.332	0.334	-0.6	102	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.630	0.648	-2.9	105	0.00
10 T	Methyl Iodide	0.679	0.696	-2.5	95	0.00
11 T	Tert butyl alcohol	0.092	0.059	35.9#	91	0.01
12 CM	1,1-Dichloroethene	0.582	0.602	-3.4#	104	0.00
13 T	Acrolein	0.077	0.079	-2.6	102	0.00
14 T	Allyl chloride	0.894	0.947	-5.9	106	0.00
15 T	Acrylonitrile	0.156	0.154	1.3	101	0.00
16 T	Acetone	0.187	0.213	-13.9	99	0.00
17 T	Carbon Disulfide	1.827	1.893	-3.6	103	0.00
18 T	Methyl Acetate	0.350	0.346	1.1	103	0.00
19 T	Methyl tert-butyl Ether	1.640	1.658	-1.1	102	0.00
20 T	Methylene Chloride	0.653	0.636	2.6	104	0.00
21 T	trans-1,2-Dichloroethene	0.644	0.659	-2.3	103	0.00
22 T	Diisopropyl ether	1.873	1.894	-1.1	103	0.00
23 T	Vinyl Acetate	1.221	1.255	-2.8	103	0.00
24 P	1,1-Dichloroethane	1.131	1.150	-1.7	103	0.00
25 T	2-Butanone	0.226	0.238	-5.3	98	0.00
26 T	2,2-Dichloropropane	1.082	1.108	-2.4	103	0.00
27 T	cis-1,2-Dichloroethene	0.711	0.729	-2.5	103	0.00
28 T	Bromochloromethane	0.442	0.426	3.6	98	0.00
29 T	Tetrahydrofuran	0.130	0.130	0.0	100	0.00
30 C	Chloroform	1.177	1.200	-2.0#	103	0.00
31 T	Cyclohexane	1.122	1.109	1.2	103	0.00
32 T	1,1,1-Trichloroethane	1.094	1.132	-3.5	104	0.00
33 S	1,2-Dichloroethane-d4	0.575	0.565	1.7	99	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	99	0.00
35 S	Dibromofluoromethane	0.321	0.301	6.2	96	0.00
36 T	1,1-Dichloropropene	0.561	0.576	-2.7	104	0.00
37 T	Ethyl Acetate	0.279	0.273	2.2	100	0.00
38 T	Carbon Tetrachloride	0.590	0.612	-3.7	103	0.00
39 T	Methylcyclohexane	0.705	0.729	-3.4	103	0.00
40 TM	Benzene	1.488	1.538	-3.4	104	0.00
41 T	Methacrylonitrile	0.139	0.158	-13.7	106	0.00
42 TM	1,2-Dichloroethane	0.452	0.463	-2.4	103	0.00
43 T	Isopropyl Acetate	0.522	0.532	-1.9	102	0.00
44 TM	Trichloroethene	0.402	0.414	-3.0	104	0.00
45 C	1,2-Dichloropropane	0.367	0.371	-1.1#	103	0.00
46 T	Dibromomethane	0.218	0.224	-2.8	103	0.00
47 T	Bromodichloromethane	0.528	0.543	-2.8	102	0.00
48 T	Methyl methacrylate	0.236	0.239	-1.3	100	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020222\
 Data File : VY007353.D
 Acq On : 02 Feb 2022 14:08
 Operator : SY/MD
 Sample : VSTDICV050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 ICSVY020222

Quant Time: Feb 03 04:41:18 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020222S.M
 Quant Title : SW846 8260
 QLast Update : Thu Feb 03 04:36:48 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.002	0.002	0.0	92	0.00
50 S	Toluene-d8	1.186	1.093	7.8	93	0.00
51 T	4-Methyl-2-Pentanone	0.265	0.266	-0.4	100	0.00
52 CM	Toluene	0.937	0.963	-2.8#	103	0.00
53 T	t-1,3-Dichloropropene	0.551	0.573	-4.0	103	0.00
54 T	cis-1,3-Dichloropropene	0.618	0.647	-4.7	104	0.00
55 T	1,1,2-Trichloroethane	0.287	0.288	-0.3	101	0.00
56 T	Ethyl methacrylate	0.398	0.414	-4.0	103	0.00
57 T	1,3-Dichloropropane	0.508	0.516	-1.6	103	0.00
58 T	2-Chloroethyl Vinyl ether	0.207	0.209	-1.0	100	0.00
59 T	2-Hexanone	0.193	0.203	-5.2	97	0.00
60 T	Dibromochloromethane	0.357	0.361	-1.1	102	0.00
61 T	1,2-Dibromoethane	0.284	0.286	-0.7	101	0.00
62 S	4-Bromofluorobenzene	0.403	0.378	6.2	98	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	98	0.00
64 T	Tetrachloroethene	0.392	0.399	-1.8	100	0.00
65 PM	Chlorobenzene	1.112	1.137	-2.2	101	0.00
66 T	1,1,1,2-Tetrachloroethane	0.415	0.436	-5.1	103	0.00
67 C	Ethyl Benzene	2.111	2.204	-4.4#	104	0.00
68 T	m/p-Xylenes	0.782	0.816	-4.3	102	0.00
69 T	o-Xylene	0.739	0.762	-3.1	100	0.00
70 T	Styrene	1.218	1.296	-6.4	103	0.00
71 P	Bromoform	0.229	0.238	-3.9	100	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	98	0.00
73 T	Isopropylbenzene	4.570	4.795	-4.9	104	0.00
74 T	N-amyl acetate	1.131	1.187	-5.0	101	0.00
75 P	1,1,2,2-Tetrachloroethane	0.834	0.825	1.1	98	0.00
76 T	1,2,3-Trichloropropane	0.594	0.623	-4.9	98	0.00
77 T	Bromobenzene	0.963	0.986	-2.4	102	0.00
78 T	n-propylbenzene	5.535	5.803	-4.8	102	0.00
79 T	2-Chlorotoluene	3.064	3.160	-3.1	102	0.00
80 T	1,3,5-Trimethylbenzene	3.728	3.952	-6.0	103	0.00
81 T	trans-1,4-Dichloro-2-butene	0.297	0.311	-4.7	99	0.00
82 T	4-Chlorotoluene	3.147	3.254	-3.4	102	0.00
83 T	tert-Butylbenzene	3.245	3.374	-4.0	102	0.00
84 T	1,2,4-Trimethylbenzene	3.670	3.835	-4.5	102	0.00
85 T	sec-Butylbenzene	4.868	5.068	-4.1	102	0.00
86 T	p-Isopropyltoluene	3.965	4.179	-5.4	102	0.00
87 T	1,3-Dichlorobenzene	1.866	1.927	-3.3	101	0.00
88 T	1,4-Dichlorobenzene	1.860	1.917	-3.1	102	0.00
89 T	n-Butylbenzene	3.816	4.057	-6.3	103	0.00
90 T	Hexachloroethane	0.749	0.775	-3.5	100	0.00
91 T	1,2-Dichlorobenzene	1.643	1.715	-4.4	104	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.136	0.134	1.5	97	0.00
93 T	1,2,4-Trichlorobenzene	0.973	1.018	-4.6	101	0.00
94 T	Hexachlorobutadiene	0.539	0.573	-6.3	103	0.00
95 T	Naphthalene	2.022	2.177	-7.7	102	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020222\
Data File : VY007353.D
Acq On : 02 Feb 2022 14:08
Operator : SY/MD
Sample : VSTDICV050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
ICVVY020222

Quant Time: Feb 03 04:41:18 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020222S.M
Quant Title : SW846 8260
QLast Update : Thu Feb 03 04:36:48 2022
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.821	0.884	-7.7	105	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6