

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020223\
 Data File : VY012462.D
 Acq On : 02 Feb 2023 17:48
 Operator : KP/MD
 Sample : 01404-01
 Misc : 5.02g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 NPHACK-SOIL-0201

Quant Time: Feb 03 03:13:31 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y011623S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jan 17 04:31:47 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	55477	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	89812	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	83673	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	36731	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	30735	68.275	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	136.560%
35) Dibromofluoromethane	7.710	113	26701	56.147	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	112.300%
50) Toluene-d8	10.179	98	105594	65.421	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	130.840%
62) 4-Bromofluorobenzene	12.483	95	30631	45.692	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	91.380%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020223\
Data File : VY012462.D
Acq On : 02 Feb 2023 17:48
Operator : KP/MD
Sample : 01404-01
Misc : 5.02g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
NPHACK-SOIL-0201

Quant Time: Feb 03 03:13:31 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y011623S.M
Quant Title : SW846 8260
QLast Update : Tue Jan 17 04:31:47 2023
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.789 min Scan# 91
Delta R.T. -0.000 min
Lab File: VY012462.D
Acq: 02 Feb 2023 17:48




Instrument :
MSVOA_Y
ClientSampleId :
NPHACK-SOIL-0201


Tgt Ion:168 Resp: 55477
Ion Ratio Lower Upper
168 100
99 52.7 44.0 66.0



#33
1,2-Dichloroethane-d4
Concen: 68.275 ug/l
RT: 8.136 min Scan# 1036
Delta R.T. -0.007 min
Lab File: VY012462.D
Acq: 02 Feb 2023 17:48

Tgt Ion: 65 Resp: 30735
Ion Ratio Lower Upper
65 100
67 50.2 0.0 103.2





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.691 min Scan# 1127

Delta R.T. 0.000 min

Lab File: VY012462.D

Acq: 02 Feb 2023 17:48

Instrument :

MSVOA_Y

ClientSampleId :

NPHACK-SOIL-0201





Tgt Ion:114 Resp: 89812

Ion Ratio Lower Upper

114 100

63 16.5 0.0 39.6

88 14.2 0.0 32.2



#35

Dibromofluoromethane

Concen: 56.147 ug/l

RT: 7.710 min Scan# 966

Delta R.T. -0.006 min

Lab File: VY012462.D

Acq: 02 Feb 2023 17:48




Tgt Ion:113 Resp: 26701


Ion Ratio Lower Upper

113 100

111 103.0 83.0 124.4

192 21.2 16.0 24.0









#50
Toluene-d8
Concen: 65.421 ug/l
RT: 10.179 min Scan# 1371
Delta R.T. -0.000 min
Lab File: VY012462.D
Acq: 02 Feb 2023 17:48




Instrument :
MSVOA_Y
ClientSampleId :
NPHACK-SOIL-0201


Tgt Ion: 98 Resp: 105594
Ion Ratio Lower Upper
98 100
100 65.1 51.9 77.9



#62
4-Bromofluorobenzene
Concen: 45.692 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. 0.000 min
Lab File: VY012462.D
Acq: 02 Feb 2023 17:48

Tgt Ion: 95 Resp: 30631
Ion Ratio Lower Upper
95 100
174 98.2 0.0 172.0
176 93.9 0.0 167.6





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.489 min Scan# 11

Delta R.T. -0.001 min

Lab File: VY012462.D

Acq: 02 Feb 2023 17:48

Instrument :

MSVOA_Y

ClientSampleId :

NPHACK-SOIL-0201





Tgt Ion:117 Resp: 83673

Ion Ratio Lower Upper

117 100

82 49.3 44.8 67.2

119 32.0 25.4 38.2



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.428 min Scan# 1904

Delta R.T. 0.006 min

Lab File: VY012462.D

Acq: 02 Feb 2023 17:48

Tgt Ion:152 Resp: 36731

Ion Ratio Lower Upper

152 100

115 54.1 29.1 87.3

150 154.4 0.0 342.6

