

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_Y\Data\VY020223\  
 Data File : VY012464.D  
 Acq On : 02 Feb 2023 18:34  
 Operator : KP/MD  
 Sample : VIBLK  
 Misc : 5.00g/5.0mL/MSVOA\_Y/SOIL  
 ALS Vial : 17 Sample Multiplier: 1

Instrument :  
 MSVOA\_Y  
 ClientSampleId :  
 VIBLK

Quant Time: Feb 03 03:13:49 2023  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_Y\methods\82Y011623S.M  
 Quant Title : SW846 8260  
 QLast Update : Tue Jan 17 04:31:47 2023  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 7.789  | 168  | 176349   | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 8.691  | 114  | 300186   | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.489 | 117  | 296394   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.428 | 152  | 140389   | 50.000 | ug/l  | 0.00     |

|                             |        |       |          |          |      |          |
|-----------------------------|--------|-------|----------|----------|------|----------|
| System Monitoring Compounds |        |       |          |          |      |          |
| 33) 1,2-Dichloroethane-d4   | 8.142  | 65    | 105382   | 73.980   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 50 - 163 | Recovery | =    | 147.960% |
| 35) Dibromofluoromethane    | 7.716  | 113   | 89045    | 56.021   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 54 - 147 | Recovery | =    | 112.040% |
| 50) Toluene-d8              | 10.179 | 98    | 356524   | 66.135   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 49 - 140 | Recovery | =    | 132.260% |
| 62) 4-Bromofluorobenzene    | 12.483 | 95    | 120456   | 53.758   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 25 - 144 | Recovery | =    | 107.520% |


| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_Y\Data\VY020223\  
Data File : VY012464.D  
Acq On : 02 Feb 2023 18:34  
Operator : KP/MD  
Sample : VIBLK  
Misc : 5.00g/5.0mL/MSVOA\_Y/SOIL  
ALS Vial : 17 Sample Multiplier: 1

Instrument :  
MSVOA\_Y  
ClientSampleId :  
VIBLK

Quant Time: Feb 03 03:13:49 2023  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_Y\methods\82Y011623S.M  
Quant Title : SW846 8260  
QLast Update : Tue Jan 17 04:31:47 2023  
Response via : Initial Calibration









#1  
Pentafluorobenzene  
Concen: 50.000 ug/l  
RT: 7.789 min Scan# 91  
Delta R.T. -0.000 min  
Lab File: VY012464.D  
Acq: 02 Feb 2023 18:34




Instrument :  
MSVOA\_Y  
ClientSampleId :  
VIBLK


Tgt Ion:168 Resp: 176349  
Ion Ratio Lower Upper  
168 100  
99 54.8 44.0 66.0



#33  
1,2-Dichloroethane-d4  
Concen: 73.980 ug/l  
RT: 8.142 min Scan# 1037  
Delta R.T. -0.001 min  
Lab File: VY012464.D  
Acq: 02 Feb 2023 18:34

Tgt Ion: 65 Resp: 105382  
Ion Ratio Lower Upper  
65 100  
67 49.7 0.0 103.2









#34  
 1,4-Difluorobenzene  
 Concen: 50.000 ug/l  
 RT: 8.691 min Scan# 1127  
 Delta R.T. 0.000 min  
 Lab File: VY012464.D  
 Acq: 02 Feb 2023 18:34




Instrument :  
 MSVOA\_Y  
 ClientSampleId :  
 VIBLK


|          |       |       |        |
|----------|-------|-------|--------|
| Tgt Ion: | 114   | Resp: | 300186 |
| Ion      | Ratio | Lower | Upper  |
| 114      | 100   |       |        |
| 63       | 16.9  | 0.0   | 39.6   |
| 88       | 14.8  | 0.0   | 32.2   |



#35  
 Dibromofluoromethane  
 Concen: 56.021 ug/l  
 RT: 7.716 min Scan# 967  
 Delta R.T. -0.000 min  
 Lab File: VY012464.D  
 Acq: 02 Feb 2023 18:34

|          |       |       |       |
|----------|-------|-------|-------|
| Tgt Ion: | 113   | Resp: | 89045 |
| Ion      | Ratio | Lower | Upper |
| 113      | 100   |       |       |
| 111      | 101.7 | 83.0  | 124.4 |
| 192      | 21.7  | 16.0  | 24.0  |









#50  
Toluene-d8  
Concen: 66.135 ug/l  
RT: 10.179 min Scan# 1371  
Delta R.T. -0.000 min  
Lab File: VY012464.D  
Acq: 02 Feb 2023 18:34




Instrument :  
MSVOA\_Y  
ClientSampleId :  
VIBLK


Tgt Ion: 98 Resp: 356524  
Ion Ratio Lower Upper  
98 100  
100 64.4 51.9 77.9



#62  
4-Bromofluorobenzene  
Concen: 53.758 ug/l  
RT: 12.483 min Scan# 1749  
Delta R.T. 0.000 min  
Lab File: VY012464.D  
Acq: 02 Feb 2023 18:34

Tgt Ion: 95 Resp: 120456  
Ion Ratio Lower Upper  
95 100  
174 94.7 0.0 172.0  
176 90.9 0.0 167.6





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.489 min Scan# 11

Delta R.T. -0.001 min

Lab File: VY012464.D

Acq: 02 Feb 2023 18:34

Instrument :

MSVOA\_Y

ClientSampleId :

VIBLK





Tgt Ion:117 Resp: 296394

Ion Ratio Lower Upper

117 100

82 53.1 44.8 67.2

119 32.9 25.4 38.2



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.428 min Scan# 1904

Delta R.T. 0.006 min

Lab File: VY012464.D

Acq: 02 Feb 2023 18:34

Tgt Ion:152 Resp: 140389

Ion Ratio Lower Upper

152 100

115 56.2 29.1 87.3

150 155.8 0.0 342.6

