

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020224\
 Data File : VY017215.D
 Acq On : 03 Feb 2024 04:52
 Operator : SY/MD
 Sample : P1318-01
 Misc : 8.23g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 48 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 CO-11-GRID-1

Quant Time: Feb 03 05:12:07 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020124S.M
 Quant Title : SW846 8260
 QLast Update : Fri Feb 02 00:56:04 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.819	168	81246	50.000	ug/l	0.02
34) 1,4-Difluorobenzene	8.715	114	177363	50.000	ug/l	0.02
63) Chlorobenzene-d5	11.514	117	176608	50.000	ug/l	0.01
72) 1,4-Dichlorobenzene-d4	13.446	152	67836	50.000	ug/l	0.01

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.167	65	40184	55.365	ug/l	0.02
Spiked Amount	50.000	Range	50 - 163	Recovery	=	110.720%
35) Dibromofluoromethane	7.746	113	42164	44.029	ug/l	0.02
Spiked Amount	50.000	Range	54 - 147	Recovery	=	88.060%
50) Toluene-d8	10.203	98	154968	44.445	ug/l	0.02
Spiked Amount	50.000	Range	58 - 134	Recovery	=	88.900%
62) 4-Bromofluorobenzene	12.501	95	49377	43.230	ug/l	0.01
Spiked Amount	50.000	Range	30 - 143	Recovery	=	86.460%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020224\
Data File : VY017215.D
Acq On : 03 Feb 2024 04:52
Operator : SY/MD
Sample : P1318-01
Misc : 8.23g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 48 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
CO-11-GRID-1

Quant Time: Feb 03 05:12:07 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y020124S.M
Quant Title : SW846 8260
QLast Update : Fri Feb 02 00:56:04 2024
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.819 min Scan# 91
Delta R.T. 0.024 min
Lab File: VY017215.D
Acq: 03 Feb 2024 04:52




Instrument :
MSVOA_Y
ClientSampleId :
CO-11-GRID-1


Tgt Ion:168 Resp: 81246
Ion Ratio Lower Upper
168 100
99 52.7 44.2 66.4



#33
1,2-Dichloroethane-d4
Concen: 55.365 ug/l
RT: 8.167 min Scan# 1041
Delta R.T. 0.018 min
Lab File: VY017215.D
Acq: 03 Feb 2024 04:52

Tgt Ion: 65 Resp: 40184
Ion Ratio Lower Upper
65 100
67 53.2 0.0 109.0





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.715 min Scan# 1131

Delta R.T. 0.018 min

Lab File: VY017215.D

Acq: 03 Feb 2024 04:52

Instrument :

MSVOA_Y

ClientSampleId :

CO-11-GRID-1





Tgt Ion:114 Resp: 177363

Ion Ratio Lower Upper

114 100

63 18.8 0.0 37.4

88 14.2 0.0 29.0



#35

Dibromofluoromethane

Concen: 44.029 ug/l

RT: 7.746 min Scan# 972

Delta R.T. 0.018 min

Lab File: VY017215.D

Acq: 03 Feb 2024 04:52




Tgt Ion:113 Resp: 42164


Ion Ratio Lower Upper

113 100

111 103.1 83.8 125.6

192 17.4 14.5 21.7









#50
Toluene-d8
Concen: 44.445 ug/l
RT: 10.203 min Scan# 11
Delta R.T. 0.018 min
Lab File: VY017215.D
Acq: 03 Feb 2024 04:52




Instrument :
MSVOA_Y
ClientSampleId :
CO-11-GRID-1


Tgt Ion: 98 Resp: 154968
Ion Ratio Lower Upper
98 100
100 65.5 52.3 78.5



#62
4-Bromofluorobenzene
Concen: 43.230 ug/l
RT: 12.501 min Scan# 1752
Delta R.T. 0.012 min
Lab File: VY017215.D
Acq: 03 Feb 2024 04:52

Tgt Ion: 95 Resp: 49377
Ion Ratio Lower Upper
95 100
174 83.7 0.0 160.0
176 77.8 0.0 151.8





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.514 min Scan# 11

Delta R.T. 0.012 min

Lab File: VY017215.D

Acq: 03 Feb 2024 04:52

Instrument :

MSVOA_Y

ClientSampleId :

CO-11-GRID-1





Tgt Ion:117 Resp: 176608

Ion Ratio Lower Upper

117 100

82 53.5 43.8 65.8

119 32.5 26.5 39.7



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.446 min Scan# 1907

Delta R.T. 0.012 min

Lab File: VY017215.D

Acq: 03 Feb 2024 04:52

Tgt Ion:152 Resp: 67836

Ion Ratio Lower Upper

152 100

115 58.7 30.0 90.0

150 156.6 0.0 344.6

