

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020321\
 Data File : VY003968.D
 Acq On : 03 Feb 2021 18:38
 Operator : SY/MD
 Sample : M1291-04
 Misc : 9.59g/5mL/MSVOA_Y/SOIL
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :

Quant Time: Feb 04 01:22:12 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y012821S.M
 Quant Title : SW846 8260
 QLast Update : Mon Feb 01 00:38:02 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Pentafluorobenzene	7.801	168	85488	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.697	114	145009	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.496	117	140414	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	72010	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.155	65	59870	63.69	ug/l	0.00
Spiked Amount 50.000	Range 50 - 163		Recovery = 127.38%			
35) Dibromofluoromethane	7.728	113	47515	56.04	ug/l	0.00
Spiked Amount 50.000	Range 54 - 147		Recovery = 112.08%			
50) Toluene-d8	10.185	98	176960	53.19	ug/l	0.00
Spiked Amount 50.000	Range 49 - 140		Recovery = 106.38%			
62) 4-Bromofluorobenzene	12.483	95	66782	55.06	ug/l	0.00
Spiked Amount 50.000	Range 25 - 144		Recovery = 110.12%			
Target Compounds						Qvalue
11) Tert butyl alcohol	4.966	59	75	Below Cal	#	77
16) Acetone	3.966	43	5544	24.03	ug/l #	88
20) Methylene Chloride	4.741	84	3180	3.25	ug/l	98
25) 2-Butanone	7.003	43	926	2.82	ug/l	96
31) Cyclohexane	7.801	56	1668	1.06	ug/l #	11
36) 1,1-Dichloropropene	7.801	75	6504	4.43	ug/l #	50
37) Ethyl Acetate	7.003	43	926	1.12	ug/l #	71
38) Carbon Tetrachloride	7.801	117	7900	4.99	ug/l #	17
76) 1,2,3-Trichloropropane	12.483	75	36499	50.31	ug/l #	100
81) trans-1,4-Dichloro-2-b...	12.483	75	36499	96.16	ug/l #	11


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY020321\
Data File : VY003968.D
Acq On : 03 Feb 2021 18:38
Operator : SY/MD
Sample : M1291-04
Misc : 9.59g/5mL/MSVOA_Y/SOIL
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :

Quant Time: Feb 04 01:22:12 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y012821S.M
Quant Title : SW846 8260
QLast Update : Mon Feb 01 00:38:02 2021
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.00 ug/l
RT: 7.801 min Scan# 981
Delta R.T. 0.000 min
Lab File: VY003968.D
Acq: 03 Feb 2021 18:38




Instrument :
MSVOA_Y
ClientSampled :


Tgt Ion:168 Resp: 85488
Ion Ratio Lower Upper
168 100
99 55.3 46.1 69.1



#16
Acetone
Concen: 24.03 ug/l
RT: 3.966 min Scan# 352
Delta R.T. 0.000 min
Lab File: VY003968.D
Acq: 03 Feb 2021 18:38


Tgt Ion: 43 Resp: 5544
Ion Ratio Lower Upper
43 100
58 23.0 23.4 35.0#








#20
Methylene Chloride
Concen: 3.25 ug/l
RT: 4.741 min Scan# 479
Delta R.T. 0.006 min
Lab File: VY003968.D
Acq: 03 Feb 2021 18:38

Instrument :
MSVOA_Y
ClientSampled :







Tgt Ion:	84	Resp:	3180
Ion	Ratio	Lower	Upper
84	100		
49	135.3	107.0	160.4
51	41.1	31.9	47.9
86	56.8	47.4	71.0



#25
2-Butanone
Concen: 2.82 ug/l
RT: 7.003 min Scan# 850
Delta R.T. 0.000 min
Lab File: VY003968.D
Acq: 03 Feb 2021 18:38


Tgt Ion:	43	Resp:	926
Ion	Ratio	Lower	Upper
43	100		
72	21.0	18.5	27.7








#31
Cyclohexane
Concen: 1.06 ug/l
RT: 7.801 min Scan# 981
Delta R.T. 0.006 min
Lab File: VY003968.D
Acq: 03 Feb 2021 18:38

Instrument :
MSVOA_Y
ClientSampled :







Tgt Ion: 56 Resp: 1668
Ion Ratio Lower Upper
56 100
69 158.0 25.0 37.4#
84 110.8 64.5 96.7#



#33
1,2-Dichloroethane-d4
Concen: 63.69 ug/l
RT: 8.155 min Scan# 1039
Delta R.T. 0.006 min
Lab File: VY003968.D
Acq: 03 Feb 2021 18:38

Tgt Ion: 65 Resp: 59870
Ion Ratio Lower Upper
65 100
67 49.1 0.0 101.8





#34

1,4-Difluorobenzene

Concen: 50.00 ug/l

RT: 8.697 min Scan# 1128

Delta R.T. 0.000 min

Lab File: VY003968.D

Acq: 03 Feb 2021 18:38

Tgt Ion:114 Resp: 145009

Ion Ratio Lower Upper

114 100





63 21.4 0.0 47.2

88 17.3 0.0 30.2

Instrument :

MSVOA_Y

ClientSampled :



#35

Dibromofluoromethane

Concen: 56.04 ug/l

RT: 7.728 min Scan# 969

Delta R.T. 0.000 min

Lab File: VY003968.D

Acq: 03 Feb 2021 18:38




Tgt Ion:113 Resp: 47515


Ion Ratio Lower Upper

113 100

111 101.8 82.2 123.4


192 22.8 18.3 27.5








#36
1,1-Dichloropropene
Concen: 4.43 ug/l
RT: 7.801 min Scan# 981
Delta R.T. -0.128 min
Lab File: VY003968.D
Acq: 03 Feb 2021 18:38


Instrument :
MSVOA_Y
ClientSampled :





Tgt Ion: 75 Resp: 6504
Ion Ratio Lower Upper
75 100
110 9.4 17.9 53.8#
77 0.0 24.8 37.2#




#37
Ethyl Acetate
Concen: 1.12 ug/l
RT: 7.003 min Scan# 850
Delta R.T. -0.085 min
Lab File: VY003968.D
Acq: 03 Feb 2021 18:38




Tgt Ion: 43 Resp: 926
Ion Ratio Lower Upper
43 100
61 0.0 9.5 14.3#
70 0.0 7.7 11.5#








#38
Carbon Tetrachloride
Concen: 4.99 ug/l
RT: 7.801 min Scan# 981
Delta R.T. -0.110 min
Lab File: VY003968.D
Acq: 03 Feb 2021 18:38

Instrument :
MSVOA_Y
ClientSampleId :







Tgt Ion: 117 Resp: 7900
Ion Ratio Lower Upper
117 100
119 6.9 77.4 116.0#
121 0.0 26.1 39.1#



#50
Toluene-d8
Concen: 53.19 ug/l
RT: 10.185 min Scan# 1372
Delta R.T. 0.000 min
Lab File: VY003968.D
Acq: 03 Feb 2021 18:38

Tgt Ion: 98 Resp: 176960
Ion Ratio Lower Upper
98 100
100 64.2 50.5 75.7









#62
4-Bromofluorobenzene
Concen: 55.06 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. 0.000 min
Lab File: VY003968.D
Acq: 03 Feb 2021 18:38




Instrument :
MSVOA_Y
ClientSampled :


Tgt Ion: 95 Resp: 66782
Ion Ratio Lower Upper
95 100
174 90.3 0.0 184.4
176 86.9 0.0 177.2



#63
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 11.496 min Scan# 1587
Delta R.T. -0.000 min
Lab File: VY003968.D
Acq: 03 Feb 2021 18:38


Tgt Ion: 117 Resp: 140414
Ion Ratio Lower Upper
117 100
82 55.6 44.3 66.5
119 32.5 25.0 37.6








#72
 1,4-Dichlorobenzene-d4
 Concen: 50.00 ug/l
 RT: 13.428 min Scan# 1904
 Delta R.T. 0.000 min
 Lab File: VY003968.D
 Acq: 03 Feb 2021 18:38


Instrument :
 MSVOA_Y
 ClientSampled :





Tgt Ion:152 Resp: 72010
 Ion Ratio Lower Upper
 152 100
 115 56.7 28.2 84.6
 150 155.5 0.0 356.2




#76
 1,2,3-Trichloropropane
 Concen: 50.31 ug/l
 RT: 12.483 min Scan# 1749
 Delta R.T. -0.152 min
 Lab File: VY003968.D
 Acq: 03 Feb 2021 18:38




Tgt Ion: 75 Resp: 36499
 Ion Ratio Lower Upper
 75 100
 77 1.0 0.0 0.0#





#81
trans-1,4-Dichloro-2-butene
Concen: 96.16 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. 0.104 min
Lab File: VY003968.D
Acq: 03 Feb 2021 18:38

Instrument :
MSVOA_Y
ClientSampleId :



Tgt Ion: 75 Resp: 36499
Ion Ratio Lower Upper
75 100
53 0.0 78.2 117.2#
89 0.0 34.8 52.2#

